

Summary

Performance

Conjugation	Unconjugated	
Modification	Unmodified	
lsotype	lgG2b	
Clonality	Monoclonal Antibody	
Form	Liquid	
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw	
	cycles.	
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.	
Purification	Affinity Purified	

Immunogen

Gene Name	KRT7
	CK 7; CK-7; ck7; Cytokeratin 7; Cytokeratin-7; Cytokeratin7; D15Wsu77e; K2C7;
Alternative Names	K2C7_HUMAN; K7; Keratin 55k type ii cytoskeletal; Keratin 7; Keratin simple epithelial
	type 1 k7; Keratin type II cytoskeletal 7
Gene ID	3855
SwissProt ID	P08729

Application

Dilution Ratio	WB: 1/500-1/1000 IF: 1/50-1/200
Molecular Weight	Calculated MW: 51 kDa; Observed MW: 55 kDa




Background

K7 a type II cytoskeletal keratin. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. Phosphorylation of keratins at specific sites affects their organization, assembly dynamics, and their interaction with signaling molecules. Specifically expressed in the simple epithelia lining the cavities of the internal organs and in the gland ducts and blood vessels.

Research Area

Signal Transduction

Image Data



Western blot analysis of Keratin 7(Cterminus) in A549, HepG2, Hela and T47D lysates using Keratin 7(Cterminus) antibody.

Note

For research use only.