Product Name: RPA32 (3E7) Mouse Monoclonal

Antibody

Catalog #: AMM03510



Summary

Production Name RPA32 (3E7) Mouse Monoclonal Antibody

Description Primary antibody

Host Mouse

Application WB,ICC/IF,IP

Reactivity Human

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG2b

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Purification Affinity Purified

Immunogen

Gene Name RPA2

60S acidic ribosomal protein P1; AA409079; Al325195; AU020965; HSSB; ik:tdsubc_2g1; M(2)21C; MGC137236; OTTHUMP0000004008; p32; p34; RCJMB04_6d17 replication protein A2; 32kDa; REPA 2; REPA1; REPA2; Replication factor A protein 2; Replication protein A 32 kDa subunit; Replication protein A 32kDa subunit; Replication protein A 34

Alternative Names kDa subunit; Replication protein A; replication protein A1 (70kD); Replication Protein

A2 (32kDa); Replication protein A2 32kD; Replication protein A2 32kDa; Replication protein A2; Replication protein A2; 32kDa; RF A; RF-A protein 2; Rf-A2; RFA; RFA2 HUMAN; RP A; RP-A p32; RP-A p34; RP21C; RPA 2; RPA 32; RPA; RPA2; RPA32;

RPA34; RPA70; RpLP1; RpP2; xx:tdsubc 2g1; zgc:109822.

 Gene ID
 6118

 SwissProt ID
 P15927

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: RPA32 (3E7) Mouse Monoclonal

Antibody

Catalog #: AMM03510



Application

Dilution Ratio WB: 1/500-1/1000 IF: 1/50-1/200 IP: 1/20

Molecular Weight Calculated MW: 29 kDa; Observed MW: 32 kDa


Background

As part of the heterotrimeric replication protein A complex (RPA/RP-A), binds and stabilizes single-stranded DNA intermediates, that form during DNA replication or upon DNA stress. It prevents their reannealing and in parallel, recruits and activates different proteins and complexes involved in DNA metabolism. Thereby, it plays an essential role both in DNA replication and the cellular response to DNA damage. In the cellular response to DNA damage, the RPA complex controls DNA repair and DNA damage checkpoint activation.


Research Area

Epigenetics and Nuclear Signaling

Image Data



Western blot analysis of RPA32/RPA2 in MCF-7, Hela and HUVEC lysates using RPA32/RPA2 antibody.



Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


Product Name: RPA32 (3E7) Mouse Monoclonal

Antibody

Catalog #: AMM03510



Immunocytochemistry analysis of RPA32 (3E7) in HeLa using RPA32/RPA2 antibody.



Immunoprecipitation analysis of RPA32 (3E7) in Hela lysates using RPA32/RPA2 antibody.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838