**Antibody** 

Catalog #: AMM03620



## **Summary**

**Production Name** GRP78 BiP (6H7) Mouse Monoclonal Antibody

**Description** Primary antibody

Host Mouse
Application WB,IHC-P

**Reactivity** Human, Mouse, Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

Isotype IgG1

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw  $\bf Storage$ 

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification** Affinity Purified

### **Immunogen**

Gene Name HSPA5

HSPA5; GRP78; 78 kDa glucose-regulated protein; GRP-78; Endoplasmic reticulum

Alternative Names lumenal Ca(2+)-binding protein grp78; Heat shock 70 kDa protein 5; Immunoglobulin

heavy chain-binding protein; BiP

 Gene ID
 3309

 SwissProt ID
 P11021

# **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100

Molecular Weight Calculated MW: 72 kDa; Observed MW: 78 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

**Antibody** 

Catalog #: AMM03620




## **Background**

When Chinese hamster K12 cells are starved of glucose, the synthesis of several proteins, called glucose-regulated proteins (GRPs), is markedly increased. Hendershot et al. (1994) (PubMed 8020977) pointed out that one of these, GRP78 (HSPA5), also referred to as 'immunoglobulin heavy chain-binding protein' (BiP), is a member of the heat-shock protein-70 (HSP70) family and is involved in the folding and assembly of proteins in the endoplasmic reticulum (ER).


#### Research Area

Tags & Cell Markers

## **Image Data**



Immunohistochemistry analysis of paraffin-embedded Human Colon Caricnoma using GRP78 BiP (6H7) antibody. Highpressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.




Immunohistochemical analysis of paraffin-embedded Human tonsils using GRP78 BiP (6H7) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838


**Antibody** 

Catalog #: AMM03620






Western blot analysis of GRP78 BiP (6H7) in Jurkat, MCF-7, SKBR3, Hela lysates using GRP78 BiP (6H7) antibody



Immunocytochemistry analysis of GRP78 BiP in HeLa cells using GRP78 BiP (6H7) antibody.




Immunoprecipitation analysis of GRP78 BiP in Hela lysates using BiGRP78 BiP (6H7) antibody.

**Antibody** 

Catalog #: AMM03620





Western blot analysis of GRP78 BiP (6H7) in CHO-K1, rat brain, C6, 3T3, Hela lysates using GRP78 BiP (6H7) antibody

#### Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838