

Summary

Production Name	PKR Rabbit Monoclonal Antibody
Description	Recombinant Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,IHC-F,IHC-P,ICC/IF,IP
Reactivity	Human

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Purification	Affinity Purified

Immunogen

Gene Name	EIF2AK2 EIF2AK2; PKR; PRKR; Interferon-induced; double-stranded RNA-activated protein kinase; Eukaryotic translation initiation factor 2-alpha kinase 2; eIF-2A protein kinase 2; Interferon-inducible RNA-dependent protein kinase; P1/eIF-2A protein k
Alternative Names	
Gene ID	5610
SwissProt ID	P19525

Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20
Molecular Weight	Calculated MW: 62 kDa; Observed MW: 74 kDa

Product Name: PKR Rabbit Monoclonal Antibody
Catalog #: AMRe01459




Background

PKR a protein kinase of the PEK family. Upon binding double-stranded RNA, it becomes autophosphorylated and activated. Phosphorylates and inhibits the alpha subunit of eIF2 alpha, which leads to an inhibition of the initiation of protein synthesis.


Research Area

Signal Transduction

Image Data




Western blot analysis of PKR in K562, HeLa lysates using PKR antibody.



Immunocytochemistry analysis of PKR(green) in HeLa using PKR antibody, and DAPI(blue)

Product Name: PKR Rabbit Monoclonal Antibody
Catalog #: AMRe01459



Immunohistochemistry analysis of paraffin-embedded Human Cholangiocarcinoma using PKR antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.