Product Name: Cytokeratin 10 Rabbit Monoclonal

Antibody

Catalog #: AMRe01533



Summary

Production Name Cytokeratin 10 Rabbit Monoclonal Antibody

Description Recombinant Rabbit Monoclonal antibody

Host Rabbit
Application WB,IHC-P

Reactivity Human, Hamster, Mouse, Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purified

Immunogen

Gene Name KRT10

Alternative Names KRT10; KPP; Keratin; type I cytoskeletal 10; Cytokeratin-10; CK-10; Keratin-10; K10

 Gene ID
 3858

 SwissProt ID
 P13645

Application

Dilution Ratio WB: 1/500-1/1000 IHC: 1/50-1/100

Molecular Weight Calculated MW: 59 kDa; Observed MW: 59 kDa

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Cytokeratin 10 Rabbit Monoclonal

Antibody

Catalog #: AMRe01533




Background

K10 a type I cytoskeletal keratin. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins. There are two types of cytoskeletal and microfibrillar keratin: type I (acidic; 40-55 kDa) [K9 to K20] and type II (neutral to basic; 56-70 kDa) [K1 to K8]. Both a basic and an acidic keratin are required for filament assembly.


Research Area

Cell Biology

Image Data



Western blot analysis of CytokeRatin 10 in rat skin, mouse skin lysates using Cytokeratin 10 antibody.



Western blot analysis of Cytokeratin 10 in CHO-K1 lysates using Cytokeratin 10 antibody.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Cytokeratin 10 Rabbit Monoclonal

Antibody

Catalog #: AMRe01533





Immunohistochemistry analysis of paraffin-embedded Human tonsil using Cytokeratin 10 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838