

## Summary

<b>Production Name</b>	ACOX1 Rabbit Monoclonal Antibody
<b>Description</b>	Recombinant Rabbit Monoclonal antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,ICC/IF,IP
<b>Reactivity</b>	Human,Mouse,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal Antibody
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
<b>Purification</b>	Affinity Purified

## Immunogen

<b>Gene Name</b>	Acox1
<b>Alternative Names</b>	AOX; Acox; Paox; D130055E20Rik
<b>Gene ID</b>	11430.0
<b>SwissProt ID</b>	Q9R0H0

## Application

<b>Dilution Ratio</b>	WB: 1/500-1/1000 IF: 1/50-1/200 IP: 1/20
<b>Molecular Weight</b>	Calculated MW: 75 kDa; Observed MW: 74,48 kDa

## Background

**Product Name: ACOX1 Rabbit Monoclonal Antibody**  
**Catalog #: AMRe01604**




Catalyzes the desaturation of acyl-CoAs to 2-trans-enoyl-CoAs. Isoform 1 shows highest activity against medium-chain fatty acyl-CoAs and activity decreases with increasing chain length. Isoform 2 is active against a much broader range of substrates and shows activity towards very long-chain acyl-CoAs .


**Research Area**

Signal Transduction


**Image Data**



Western blot analysis of ACOX1/AOX in rat brain lysates using ACOX1 antibody.



Western blot analysis of ACOX1/AOX in Raw264.7, mouse Liver lysates using ACOX1/AOX antibody.



Immunocytochemistry analysis of ACOX1 (green) in hela using ACOX1 antibody, and DAPI (blue)

**Product Name: ACOX1 Rabbit Monoclonal Antibody**  
**Catalog #: AMRe01604**

---



**Note**

For research use only.