Product Name: ATP5G Rabbit Monoclonal Antibody

Catalog #: AMRe01698



Summary

Production Name ATP5G Rabbit Monoclonal Antibody

Description Recombinant Rabbit Monoclonal antibody

Host Rabbit

Application WB,IHC-P,IP **Reactivity** Human,Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer**

BSA

Purification Affinity Purified

Immunogen

Gene Name ATP5MC1

Alternative Names ATP synthase lipid-binding protein; ATP synthase membrane subunit c locus 1

Gene ID 516/517/518

SwissProt ID P05496/Q06055/P48201

Application

Dilution Ratio WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20

Molecular Weight Calculated MW: 14 kDa; Observed MW: 14 kDa

Background

Product Name: ATP5G Rabbit Monoclonal Antibody Catalog #: AMRe01698


C EnkiLife

Mitochondrial membrane ATP synthase (F1F0 ATP synthase or Complex V) produces ATP from ADP in the presence of a proton gradient across the membrane which is generated by electron transport complexes of the respiratory chain. F-type ATPases consist of two structural domains, F1 - containing the extramembraneous catalytic core and F0 - containing the membrane proton channel, linked together by a central stalk and a peripheral stalk. During catalysis, ATP synthesis in the catalytic domain of F1 is coupled via a rotary mechanism of the central stalk subunits to proton translocation. Part of the complex F0 domain. A homomeric c-ring of probably 10 subunits is part of the complex rotary element. Miscellaneous There are three genes which encode the mitochondrial ATP synthase proteolipid and they specify precursors with different import sequences but identical mature proteins. Is the major protein stored in the storage bodies of animals or humans affected with ceroid lipofuscinosis (Batten disease).


Research Area

Signal Transduction

Image Data



Western blot analysis of ATP5G1/G2/G3 in Jurkat, C6 lysates using ATP5G antibody.



Immunohistochemistry analysis of paraffin-embedded Human tonsil using ATP5G1/G2/G3 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

C EnkiLife **Product Name: ATP5G Rabbit Monoclonal Antibody** Catalog #: AMRe01698

N	\mathbf{I}	+	0
11	ıv	u	C

For research use only.