## **Product Name: NEK9 Rabbit Monoclonal Antibody**

Catalog #: AMRe02329



### **Summary**

**Production Name** NEK9 Rabbit Monoclonal Antibody

**Description** Recombinant Rabbit Monoclonal antibody

**Host** Rabbit

**Application** WB,IHC-F,IHC-P,ICC/IF

Reactivity Human, Rat

### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer** 

BSA

**Purification** Affinity Purified

### **Immunogen**

Gene Name NEK9

Alternative Names NC; APUG; NERCC; LCCS10; NERCC1

 Gene ID
 91754

 SwissProt ID
 Q8TD19

## **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

Molecular Weight Calculated MW: 107 kDa; Observed MW: 107 kDa

## **Background**

# Product Name: NEK9 Rabbit Monoclonal Antibody Catalog #: AMRe02329




Pleiotropic regulator of mitotic progression, participating in the control of spindle dynamics and chromosome separation. Phosphorylates different histones, myelin basic protein, beta-casein, and BICD2. Phosphorylates histone H3 on serine and threonine residues and beta-casein on serine residues. Important for G1/S transition and S phase progression. Phosphorylates NEK6 and NEK7 and stimulates their activity by releasing the autoinhibitory functions of Tyr-108 and Tyr-97 respectively.


#### **Research Area**

**Cell Biology** 

## **Image Data**



Immunocytochemistry analysis of NEK9 (green) in HT-1080 using NEK9 antibody, and DAPI(blue).




Western blot analysis of NEK9 in rat skeletal muscle lysates using NEK9 antibody.


## **Product Name: NEK9 Rabbit Monoclonal Antibody**

Catalog #: AMRe02329





Western blot analysis of NEK9 in Hela lysates using NEK9 antibody



Immunohistochemistry analysis of paraffin-embedded Human colon cancer using NEK9 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

### Note

For research use only.