# **Product Name: RPA32 Rabbit Monoclonal Antibody**

Catalog #: AMRe02549



## **Summary**

Production Name RPA32 Rabbit Monoclonal Antibody

**Description** Recombinant Rabbit Monoclonal antibody

**Host** Rabbit

**Application** WB,IHC-P,IP

**Reactivity** Human, Mouse, Rat, Hamster

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

**Clonality** Monoclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% **Buffer** 

BSA

**Purification** Affinity Purified

## **Immunogen**

Gene Name RPA2

60S acidic ribosomal protein P1; AA409079; AI325195; AU020965; HSSB; ik:tdsubc\_2g1; M(2)21C; MGC137236; OTTHUMP00000004008; p32; p34; RCJMB04\_6d17 replication protein A2; 32kDa; REPA 2; REPA1; REPA2; Replication factor A protein 2; Replication protein A 32 kDa subunit; Replication protein A 32kDa subunit; Replication protein A 34

Alternative Names kDa subunit; Replication protein A; replication protein A1 (70kD); Replication Protein

A2 (32kDa); Replication protein A2 32kD; Replication protein A2 32kDa; Replication protein A2; Replication protein A2; RF-A protein 2; Rf-A2; RFA; RFA2 HUMAN; RP A; RP-A p32; RP-A p34; RP21C; RPA 2; RPA 32; RPA; RPA2; RPA32;

RPA34; RPA70; RpLP1; RpP2; xx:tdsubc 2g1; zgc:109822.

 Gene ID
 6118

 SwissProt ID
 P15927

# **Product Name: RPA32 Rabbit Monoclonal Antibody**

Catalog #: AMRe02549



# **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20

Molecular Weight Calculated MW: 29 kDa; Observed MW: 29 kDa


## **Background**

As part of the heterotrimeric replication protein A complex (RPA/RP-A), binds and stabilizes single-stranded DNA intermediates, that form during DNA replication or upon DNA stress. It prevents their reannealing and in parallel, recruits and activates different proteins and complexes involved in DNA metabolism. Thereby, it plays an essential role both in DNA replication and the cellular response to DNA damage. In the cellular response to DNA damage, the RPA complex controls DNA repair and DNA damage checkpoint activation.


#### Research Area

**Epigenetics and Nuclear Signaling** 

# **Image Data**



Western blot analysis of RPA32/RPA2 in 3T3 lysates using RPA32 antibody.




Western blot analysis of RPA32/RPA2 in Hela, CHO-K1, C6, Jurkat lysates using RPA32/RPA2 antibody.

# **Product Name: RPA32 Rabbit Monoclonal Antibody**

Catalog #: AMRe02549





Immunohistochemistry analysis of paraffin-embedded Human tonsil using RPA32/RPA2 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

#### Note

For research use only.