

# Summary

Production Name	SC35 Rabbit Monoclonal Antibody	
Description	Recombinant Rabbit Monoclonal antibody	
Host	Rabbit	
Application	WB,IHC-P,IP	
Reactivity	Human,Rat	

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05%
	BSA
Purification	Affinity Purified

## Immunogen

Gene Name	SRSF2
Alternative Names	Protein PR264; Splicing component; 35 kDa; Splicing factor SC35; SC-35; Splicing factor;
	arginine/serine-rich 2
Gene ID	6427
SwissProt ID	Q01130

# Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20
Molecular Weight	Calculated MW: 25 kDa; Observed MW: 35 kDa

## Product Name: SC35 Rabbit Monoclonal Antibody Catalog #: AMRe02573




#### Background

Necessary for the splicing of pre-mRNA. It is required for formation of the earliest ATP-dependent splicing complex and interacts with spliceosomal components bound to both the 5'- and 3'-splice sites during spliceosome assembly. It also is required for ATP-dependent interactions of both U1 and U2 snRNPs with pre-mRNA. Interacts with other spliceosomal components, via the RS domains, to form a bridge between the 5'- and 3'-splice site binding components, U1 snRNP and U2AF. Binds to purine-rich RNA sequences, either 5'-AGSAGAGTA-3' (S=C or G) or 5'-GTTCGAGTA-3'. Can bind to beta-globin mRNA and commit it to the splicing pathway. The phosphorylated form (by SRPK2) is required for cellular apoptosis in response to cisplatin treatment.


#### **Research Area**

**Epigenetics and Nuclear Signaling** 

### Image Data



Western blot analysis of SC35 in C6, MCF-7 lysates using SC35 antibody.



Immunohistochemistry analysis of paraffin-embedded Human tonsil using SC35 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

#### **Note** For research use only.

