

## Summary

<b>Production Name</b>	Smad5 Rabbit Monoclonal Antibody
<b>Description</b>	Recombinant Rabbit Monoclonal antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IHC-F,IHC-P,ICC/IF
<b>Reactivity</b>	Human,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal Antibody
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
<b>Purification</b>	Affinity Purified

## Immunogen

<b>Gene Name</b>	SMAD5 DKFZp781C1895; DKFZp781O1323; Dwfc; hSmad 5; hSmad5; JV5 1; JV5-1; MAD homolog 5; MAD mothers against decapentaplegic homolog 5; MAD; mothers against decapentaplegic homolog 5; MADH 5; MADH5; Mothers against decapentaplegic homolog 5; Mothers against DPP homolog 5; MusMLP; SMA and MAD related protein 5; SMAD 5; SMAD family member 5; SMAD mothers against DPP homolog 5; Smad5; Smad5; SMAD5_HUMAN.
<b>Alternative Names</b>	
<b>Gene ID</b>	4090
<b>SwissProt ID</b>	Q99717

## Application

**Product Name: Smad5 Rabbit Monoclonal Antibody**  
**Catalog #: AMRe02614**



**Dilution Ratio**

WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200

**Molecular Weight**

Calculated MW: 52 kDa; Observed MW: 60 kDa


## Background

Transcriptional modulator activated by BMP (bone morphogenetic proteins) type 1 receptor kinase. Smad5 is a receptor-regulated Smad (R-Smad). Smad5 is required for normal development of the cardiovascular system in vivo; lack of the Smad5 gene results in apoptosis of cardiac myocytes. 3 Upregulation of Smad5 has been reported to mediate apoptosis of gastric epithelial cells induced by Helicobacter pylori infection. Tissue specificity: Ubiquitous.


## Research Area

Signal Transduction

## Image Data



Western blot analysis of Smad5 in C6, HeLa lysates using Smad5 antibody.



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using SMAD5 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

## Note

**Product Name: Smad5 Rabbit Monoclonal Antibody**  
**Catalog #: AMRe02614**



---

For research use only.