
Summary

| | |
|------------------------|--|
| Production Name | USP28 Rabbit Monoclonal Antibody |
| Description | Recombinant Rabbit Monoclonal antibody |
| Host | Rabbit |
| Application | WB,ICC/IF |
| Reactivity | Human |

Performance

| | |
|---------------------|--|
| Conjugation | Unconjugated |
| Modification | Unmodified |
| Isotype | IgG |
| Clonality | Monoclonal Antibody |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |
| Buffer | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA |
| Purification | Affinity Purified |

Immunogen

| | |
|--------------------------|--|
| Gene Name | USP28 |
| Alternative Names | KIAA1515; Ubiquitin carboxyl terminal hydrolase 28; Ubiquitin thioesterase 28; UBP28 |
| Gene ID | 57646 |
| SwissProt ID | Q96RU2 |

Application

| | |
|-------------------------|--|
| Dilution Ratio | WB: 1/500-1/1000 IF: 1/50-1/200 |
| Molecular Weight | Calculated MW: 122 kDa; Observed MW: 122 kDa |

Background

Product Name: USP28 Rabbit Monoclonal Antibody
Catalog #: AMRe02749




Deubiquitinase involved in DNA damage response checkpoint and MYC proto-oncogene stability. Involved in DNA damage induced apoptosis by specifically deubiquitinating proteins of the DNA damage pathway such as CLSPN.

Research Area

Cell Biology

Image Data



Western blot analysis of USP28 in A549 lysates using USP28 antibody.

Note

For research use only.