

---

## Summary

<b>Production Name</b>	VPS41 Rabbit Monoclonal Antibody
<b>Description</b>	Recombinant Rabbit Monoclonal antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB
<b>Reactivity</b>	Human,Mouse,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Monoclonal Antibody
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
<b>Purification</b>	Affinity Purified

## Immunogen

<b>Gene Name</b>	VPS41
<b>Alternative Names</b>	HVPS41; HVSP41; hVps41p
<b>Gene ID</b>	27072
<b>SwissProt ID</b>	P49754

## Application

<b>Dilution Ratio</b>	WB: 1/500-1/1000
<b>Molecular Weight</b>	Calculated MW: 99 kDa; Observed MW: 99 kDa

## Background

---

**Product Name: VPS41 Rabbit Monoclonal Antibody**  
**Catalog #: AMRe02768**




Plays a role in vesicle-mediated protein trafficking to lysosomal compartments including the endocytic membrane transport and autophagic pathways. Believed to act in part as a core component of the putative HOPS endosomal tethering complex is proposed to be involved in the Rab5-to-Rab7 endosome conversion probably implicating MON1A/B, and via binding SNAREs and SNARE complexes to mediate tethering and docking events during SNARE-mediated membrane fusion. The HOPS complex is proposed to be recruited to Rab7 on the late endosomal membrane and to regulate late endocytic, phagocytic and autophagic traffic towards lysosomes (PubMed:23351085). Involved in homotypic vesicle fusions between late endosomes and in heterotypic fusions between late endosomes and lysosomes implicated in degradation of endocytosed cargo (PubMed:9159129, PubMed:23167963, PubMed:25445562, PubMed:25908847). Required for fusion of autophagosomes with lysosomes (PubMed:25783203). May link the HOPS complex to endosomal Rab7 via its association with RILP and to lysosomal membranes via its association with ARL8B, suggesting that these interactions may bring the compartments to close proximity for fusion (PubMed:25445562, PubMed:25908847). Involved in the direct trans-Golgi network to late endosomes transport of lysosomal membrane proteins independently of HOPS (PubMed:23322049). Involved in sorting to the regulated secretory pathway presumably implicating the AP-3 adaptor complex . May play a role in HOPS-independent function in the regulated secretory pathway (PubMed:24210660).

## Research Area


Signal Transduction

## Image Data



Western blot analysis of VPS41 in rat heart lysates using VPS41 antibody.

**Product Name: VPS41 Rabbit Monoclonal Antibody**  
**Catalog #: AMRe02768**



Western blot analysis of VPS41 in HeLa, 293T, mouse brain lysates using VPS41 antibody.

**Note**

For research use only.