

**Product Name: Hydroxyl-Histone H2A (Tyr39) Rabbit
Monoclonal Antibody
Catalog #: AMRe03278**



Summary

Production Name	Hydroxyl-Histone H2A (Tyr39) Rabbit Monoclonal Antibody
Description	Recombinant Rabbit Monoclonal antibody
Host	Rabbit
Application	WB,IHC-P
Reactivity	Human,Mouse

Performance

Conjugation	Unconjugated
Modification	Hydroxylated
Isotype	IgG
Clonality	Monoclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Purification	Affinity Purified

Immunogen

Gene Name	H2AC4
Alternative Names	H2A.1; H2A/c; H2A1; H2AFC; H2AFD; H2AFI; H2AFN; H2AFP; HIST1H2AG; HIST1H2AI; HIST1H2AK; HIST1H2AL; HIST1H2AM; histone cluster 1; H2ai; Histone H2A type 1; Histone H2A/p
Gene ID	3012
SwissProt ID	P04908

Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100
Molecular Weight	Calculated MW: 14 kDa; Observed MW: 14 kDa

**Product Name: Hydroxyl-Histone H2A (Tyr39) Rabbit
Monoclonal Antibody
Catalog #: AMRe03278**




Background

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.


Research Area

Epigenetics and Nuclear Signaling

Image Data




Western blot analysis of Hydroxyl-Histone H2A (Tyr39) in 3T3 lysates using Hydroxyl-Histone H2A (Tyr39) antibody.



Western blot analysis of Hydroxyl-Histone H2A (Tyr39) in HeLa, A549, HL-60 lysates using Hydroxyl-Histone H2A (Tyr39) antibody. Observed band size: 14kDa.

**Product Name: Hydroxyl-Histone H2A (Tyr39) Rabbit
Monoclonal Antibody
Catalog #: AMRe03278**



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using Hydroxyl-Histone H2A (Tyr39) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.