

Summary

| Production Name | Phospho-JNK1 (Thr183/Tyr185) Rabbit Monoclonal Antibody | |
|-----------------|---|--|
| Description | Recombinant Rabbit Monoclonal antibody | |
| Host | Rabbit | |
| Application | WB,IP | |
| Reactivity | Human,Rat | |

Performance

| Conjugation | Unconjugated |
|--------------|---|
| Modification | Phosphorylated |
| lsotype | lgG |
| Clonality | Monoclonal Antibody |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw |
| | cycles. |
| Buffer | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% |
| | BSA |
| Purification | Affinity Purified |

Immunogen

| Gene Name | MAPK8 |
|-------------------|---|
| | Al849689; c Jun N terminal kinase 1; C-JUN kinase 1; c-Jun N-terminal kinase 1; EC |
| | 2.7.11.24; JAK 1A; JAK1A; JNK 1; JNK 46; JNK; JNK-46; JNK1A2; JNK21B1/2; MAP kinase |
| | 8; MAPK 8; MAPK8; Mitogen activated protein kinase 8; Mitogen-activated protein |
| Alternative Names | kinase 8; MK08_HUMAN; p54 gamma; PRKM 8; PRKM8; Protein kinase JNK1; Protein |
| | kinase; mitogen-activated; 8; SAPK 1; SAPK gamma; SAPK1; Stress activated protein |
| | kinase JNK1; Stress-activated protein kinase 1; Stress-activated protein kinase JNK1; |
| | Tyrosine protein kinase JAK1 . |
| Gene ID | 5599 |
| SwissProt ID | P45983 |
| | |

Product Name: Phospho-JNK1 (Thr183/Tyr185) Rabbit Monoclonal Antibody Catalog #: AMRe03804



Application

| Dilution Ratio | WB: 1/500-1/1000 IP: 1/20 |
|------------------|---|
| Molecular Weight | Calculated MW: 48 kDa; Observed MW: 46,54 kDa |


Background

The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Several alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq, Apr 2016]

Research Area

Signal Transduction

Image Data



Western blot analysis of Phospho-JNK1 (Thr183/Tyr185) in Hela, A549, C6 lysates using Phospho-JNK1 (Thr183/Tyr185) antibody.

Note

For research use only.

