

**Product Name: Phospho-NDRG1 (Ser330) Rabbit
Monoclonal Antibody
Catalog #: AMRe04114**

Summary

| | |
|------------------------|---|
| Production Name | Phospho-NDRG1 (Ser330) Rabbit Monoclonal Antibody |
| Description | Recombinant Rabbit Monoclonal antibody |
| Host | Rabbit |
| Application | WB,IHC-F,IHC-P,ICC/IF,IP |
| Reactivity | Human,Mouse |

Performance

| | |
|---------------------|--|
| Conjugation | Unconjugated |
| Modification | Phosphorylated |
| Isotype | IgG |
| Clonality | Monoclonal Antibody |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |
| Buffer | 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA |
| Purification | Affinity Purified |

Immunogen

| | |
|--------------------------|--|
| Gene Name | NDRG1 |
| Alternative Names | Protein NDRG1; Differentiation-related gene 1 protein; DRG-1; RTP; Rit42; NDRG1; CAP43; DRG1; RTP; targ1; TDD5; tdds |
| Gene ID | 10397 |
| SwissProt ID | Q92597 |

Application

| | |
|-------------------------|--|
| Dilution Ratio | WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20 |
| Molecular Weight | Calculated MW: 43 kDa; Observed MW: 43 kDa |

Product Name: Phospho-NDRG1 (Ser330) Rabbit Monoclonal Antibody
Catalog #: AMRe04114


Background

May have a growth inhibitory role.


Research Area

Neuroscience

Image Data




Immunocytochemistry analysis of Phospho-NDRG1 (Ser330) (green) in 293T using Phospho-NDRG1 (Ser330) antibody, and DAPI(blue).




Western blot analysis of Phospho-NDRG1 (Ser330) in mouse kidney lysates using Phospho-NDRG1 (Ser330) antibody.

**Product Name: Phospho-NDRG1 (Ser330) Rabbit
Monoclonal Antibody
Catalog #: AMRe04114**



Western blot analysis of Phospho-NDRG1(Ser330) in HeLa, A549, MCF-7, 239T, C2C12 lysates using Phospho-NDRG1(Ser330) antibody



Immunohistochemistry analysis of paraffin-embedded Human Cholangiocarcinoma using NDRG1 (Phospho-Ser330) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note

For research use only.