

Summary

CD209 (16J14) Rabbit Monoclonal Antibody	
Rabbit Monoclonal Antibody	
Rabbit	
WB,ELISA	
Human	

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
Purification	Affinity purification

Immunogen

Gene Name	CD209
Alternative Names	CD209 antigen-like protein A; CDSIGN; CIRE; CLEC4L; DCSIGN; Dendritic cell specific
Alternative Names	ICAM 3 grabbing nonintegrin 1; HIV GP120 Binding Protein; SIGN-R1; SIGNR5;
Gene ID	30835.0
SwissProt ID	Q9NNX6.

Application

Dilution Ratio	WB 1:500-1:2000
Molecular Weight	46kDa




Background

Pathogen-recognition receptor expressed on the surface of immature dendritic cells (DCs) and involved in initiation of primary immune response. Thought to mediate the endocytosis of pathogens which are subsequently degraded in lysosomal compartments. Pathogen-recognition receptor expressed on the surface of immature dendritic cells (DCs) and involved in initiation of primary immune response. Thought to mediate the endocytosis of pathogens which are subsequently degraded in lysosomal compartments. The receptor returns to the cell membrane surface and the pathogen-derived antigens are presented to resting T-cells via MHC class II proteins to initiate the adaptive immune response.

Research Area

Image Data



Western blot analysis of CD209 expression in HACAT cell lysate.

Note

For research use only.