

# Summary

Production Name	Fascin (7W3) Rabbit Monoclonal Antibody	
Description	Rabbit Monoclonal Antibody	
Host	Rabbit	
Application	WB,ELISA	
Reactivity	Human, Mouse, Rat	

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New typepreservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term.Avoid freeze / thaw cycle.
Purification	Affinity purification

# Immunogen

Gene Name	FSCN1
Alternative Names	55 kDa actin bundling protein; Actin bundling protein; FAN1; Fascin 1; Fascin; Singed
Alternative Names	(Drosophila) like (sea urchin fascin homolog like); Fascin homolog 1; Fascin;
Gene ID	6624.0
SwissProt ID	Q16658.

# Application

Dilution Ratio	WB 1:1000-1:5000
Molecular Weight	55kDa




## Background

Promotes cross-linkage of parallel actin filaments during the formation of cell protrusions (lamellipodia and filopodia), and therefore plays an important role in regulating cell migration. It has been reported that fascin may also regulate filopodia formation by a mechanism independent of its actin-bundling functions, though less is known about this mechanism of action. Actin-binding protein that contains 2 major actin binding sites (PubMed: <a href="http://www.uniprot.org/citations/21685497" target=" blank">21685497</a>, PubMed:<a href="http://www.uniprot.org/citations/23184945" target=" blank">23184945</a>). Organizes filamentous actin into parallel bundles (PubMed:<a href="http://www.uniprot.org/citations/20393565" target=" blank">20393565</a>, PubMed:<a href="http://www.uniprot.org/citations/21685497" target=" blank">21685497</a>, PubMed:<a href="http://www.uniprot.org/citations/23184945" target="\_blank">23184945</a>). Plays a role in the organization of actin filament bundles and the formation of microspikes, membrane ruffles, and stress fibers (PubMed:<a href="http://www.uniprot.org/citations/22155786" target=" blank">22155786</a>). Important for the formation of a diverse set of cell protrusions, such as filopodia, and for cell motility and migration (PubMed:<a href="http://www.uniprot.org/citations/20393565" target=" blank">20393565</a>, PubMed:<a href="http://www.uniprot.org/citations/21685497" target="\_blank">21685497</a>, PubMed:<a href="http://www.uniprot.org/citations/23184945" target=" blank">23184945</a>). Mediates reorganization of the actin cytoskeleton and axon growth cone collapse in response to NGF (PubMed: <a href="http://www.uniprot.org/citations/22155786" target=" blank">22155786</a>).

### **Research Area**

### **Image Data**



Western blot analysis of Fascin expression in (1) K562 cell lysate; (2) Mouse kidney lysate.



#### Note

For research use only.