

# Summary

Production Name	NDRG1 (3L1) Rabbit Monoclonal Antibody
Description	Rabbit Monoclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human, Mouse, Rat

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New typepreservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term.Avoid freeze / thaw cycle.
Purification	Affinity purification

# Immunogen

Gene Name	NDRG1
Alternative Names	Protein NDRG1; Differentiation-related gene 1 protein; DRG-1; RTP; Rit42; NDRG1;
	CAP43; DRG1; RTP; targ1; TDD5; tdds;
Gene ID	10397.0
SwissProt ID	Q92597.

# Application

Dilution Ratio	WB 1:1000-1:5000
Molecular Weight	43kDa




### Background

May have a growth inhibitory role. Stress-responsive protein involved in hormone responses, cell growth, and differentiation. Acts as a tumor suppressor in many cell types. Necessary but not sufficient for p53/TP53-mediated caspase activation and apoptosis. Has a role in cell trafficking, notably of the Schwann cell, and is necessary for the maintenance and development of the peripheral nerve myelin sheath. Required for vesicular recycling of CDH1 and TF. May also function in lipid trafficking. Protects cells from spindle disruption damage. Functions in p53/TP53-dependent mitotic spindle checkpoint. Regulates microtubule dynamics and maintains euploidy.

#### **Research Area**

### **Image Data**



Western blot analysis of NDRG1 expression in HeLa cell lysate.

#### Note

For research use only.