

Summary

Production Name	Tbx3 (13T6) Rabbit Monoclonal Antibody	
Description	Rabbit Monoclonal Antibody	
Host	Rabbit	
Application	WB,ELISA	
Reactivity	Human, Mouse, Rat	
••	, -	

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	IgG
Clonality	Monoclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New typepreservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term.Avoid freeze / thaw cycle.
Purification	Affinity purification

Immunogen

Gene Name	ТВХЗ
Alternative Names	T box 3; T-box protein 3; Tbx3; TBX3 ISO; UMS; XHL;
Gene ID	6926.0
SwissProt ID	O15119.

Application

Dilution Ratio	WB 1:500-1:2000
Molecular Weight	79kDa




Background

Transcriptional repressor involved in developmental processes. Probably plays a role in limb pattern formation. Transcriptional repressor involved in developmental processes (PubMed: 10468588). Binds to the palindromic T site 5'-TTCACACCTAGGTGTGAA-3' DNA sequence, or a half-site, which are present in the regulatory region of several genes (PubMed: 12000749). Probably plays a role in limb pattern formation (PubMed: 10468588" target="_blank">10468588). Required for mammary placode induction, and maintenance of the mammary buds during development (By similarity). Involved in branching morphogenesis in both developing lungs and adult mammary glands, via negative modulation of target genes; acting redundantly with TBX2 (By similarity). Required, together with TBX2, to maintain cell proliferation in the embryonic lung mesenchyme; perhaps acting downstream of SHH, BMP and TGFbeta signaling (By similarity). Involved in modulating early inner ear development, acting independently of, and also redundantly with, TBX2 in different subregions of the developing ear (By similarity). Acts as a negative regulator of PML function in cellular senescence (PubMed: 22002537.

Research Area

Image Data



Western blot analysis of Tbx3 expression in MCF7 cell lysate.

Note

For research use only.