

## Summary

Production Name	STK3 Rabbit Polyclonal Antibody
Description	Primary antibody
Host	Rabbit
Application	WB,IHC-P,IP
Reactivity	Human,Mouse,Rat

#### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal Antibody
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide
	and 50% glycerol.
Purification	Affinity Chromatography

### Immunogen

Gene Name	STK3
Alternative Names	STK3; Mess1; MST-2; MST2; Serine/threonine kinase 3; KRS1; STE20-like kinase MST2
Gene ID	6788
SwissProt ID	Q13188

# Application

Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IP: 1/20
Molecular Weight	Calculated MW: 56 kDa; Observed MW: 56 kDa

## Background

## Product Name: STK3 Rabbit Polyclonal Antibody Catalog #: APRab00072




Stress-activated, pro-apoptotic kinase which, following caspase-cleavage, enters the nucleus and induces chromatin condensation followed by internucleosomal DNA fragmentation. Key component of the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein STK3/MST2 and STK4/MST1, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ.


#### **Research Area**

Cell Biology

#### Image Data



Western blot analysis of STK3 in HeLa lysates using STK3 antibody.



Immunohistochemistry analysis of paraffin-embedded Human kidney using STK3 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

#### Note

For research use only.