# **Product Name: OX40L Rabbit Polyclonal Antibody**

Catalog #: APRab00503



### **Summary**

Production Name OX40L Rabbit Polyclonal Antibody

**Description** Primary antibody

**Host** Rabbit

**Application** WB,IHC-P,ELISA

Reactivity Human

### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

**Clonality** Polyclonal Antibody

Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

**Purification** Affinity Purified

#### **Immunogen**

Gene Name TNFSF4

TNFSF4; TXGP1; Tumor necrosis factor ligand superfamily member 4; Glycoprotein

Alternative Names Gp34; OX40 ligand; OX40L; TAX transcriptionally-activated glycoprotein 1; CD antigen

CD252

 Gene ID
 7292

 SwissProt ID
 P23510

## **Application**

**Dilution Ratio** WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000

Molecular Weight Calculated MW: 21 kDa; Observed MW: 21 kDa

# **Product Name: OX40L Rabbit Polyclonal Antibody**

Catalog #: APRab00503




### **Background**

This gene encodes a cytokine of the tumor necrosis factor (TNF) ligand family. The encoded protein functions in T cell antigen-presenting cell (APC) interactions and mediates adhesion of activated T cells to endothelial cells. Polymorphisms in this gene have been associated with Sjogren's syndrome and systemic lupus erythematosus. Alternative splicing results in multiple transcript variants


#### **Research Area**

Immunology

## **Image Data**



Western blot analysis of OX40L in KB lysates using OX40L antibody.




Western blot analysis of OX40L in KB lysates using Ox40L antibody.


# **Product Name: OX40L Rabbit Polyclonal Antibody**

Catalog #: APRab00503





Immunohistochemistry analysis of paraffin-embedded Human lymph using OX40L antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.



Immunohistochemistry analysis of paraffin-embedded Human lymph using OX40L antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

#### Note

For research use only.