

## Summary

<b>Production Name</b>	FOXO1 Rabbit Polyclonal Antibody
<b>Description</b>	Primary antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IHC-P,ICC/IF
<b>Reactivity</b>	Human,Mouse,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal Antibody
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
<b>Purification</b>	Affinity Chromatography

## Immunogen

<b>Gene Name</b>	FOXO1
<b>Alternative Names</b>	FOXO1; FKHR; FOXO1A; Forkhead box protein O1; Forkhead box protein O1A; Forkhead in rhabdomyosarcoma
<b>Gene ID</b>	2308
<b>SwissProt ID</b>	Q12778

## Application

<b>Dilution Ratio</b>	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200
<b>Molecular Weight</b>	Calculated MW: 70 kDa; Observed MW: 70 kDa

**Product Name: FOXO1 Rabbit Polyclonal Antibody**  
**Catalog #: APRab01329**




## Background

Transcription factor which acts as a regulator of cell responses to oxidative stress. In the presence of KIRT1, mediates down-regulation of cyclin D1 and up-regulation of CDKN1B levels which are required for cell transition from proliferative growth to quiescence.


## Research Area

Signal Transduction

## Image Data




Western blot analysis of FoxO1a in Jurkat, THP-1, SKOV-3, MCF-7 and HeLa lysates using FOXO1 antibody.



Immunohistochemistry analysis of paraffin-embedded Human brain carcinoma using FoxO1a antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

**Product Name: FOXO1 Rabbit Polyclonal Antibody**  
**Catalog #: APRab01329**



Immunofluorescence analysis of FOXO1 in HeLa using FoxO1a antibody.

**Note**

For research use only.