

**Product Name: Cytokeratin 8 Rabbit Polyclonal Antibody**  
**Catalog #: APRab01391**



## Summary

<b>Production Name</b>	Cytokeratin 8 Rabbit Polyclonal Antibody
<b>Description</b>	Primary antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IHC-F,IHC-P,ICC/IF,FC,IP
<b>Reactivity</b>	Human,Mouse

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal Antibody
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
<b>Purification</b>	Affinity Purified

## Immunogen

<b>Gene Name</b>	KRT8
<b>Alternative Names</b>	KRT8; CYK8; Keratin; type II cytoskeletal 8; Cytokeratin-8; CK-8; Keratin-8; K8; Type-II keratin Kb8
<b>Gene ID</b>	3856
<b>SwissProt ID</b>	P05787

## Application

<b>Dilution Ratio</b>	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/20 FC: 1/50-1/100
<b>Molecular Weight</b>	Calculated MW: 54 kDa; Observed MW: 54 kDa

**Product Name: Cytokeratin 8 Rabbit Polyclonal Antibody**  
**Catalog #: APRab01391**




## Background

Together with KRT19, helps to link the contractile apparatus to dystrophin at the costameres of striated muscle. K8 a type II cytoskeletal keratin. The keratins are intermediate filament proteins responsible for the structural integrity of epithelial cells and are subdivided into cytokeratins and hair keratins.


## Research Area

Signal Transduction

## Image Data




Western blot analysis of Keratin 8 in MCF-7, HeLa lysates using Cytokeratin 8 antibody.



Immunocytochemistry analysis of Cytokeratin 8(green) in HeLa using Cytokeratin 8 antibody,and DAPI(blue)

**Product Name: Cytokeratin 8 Rabbit Polyclonal Antibody**  
**Catalog #: APRab01391**



Immunohistochemistry analysis of paraffin-embedded Human Cholangiocarcinoma using Cytokeratin 8 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

**Note**

For research use only.