## Product Name: Arrestin-β-1 (phospho Ser412) Rabbit

Polyclonal Antibody Catalog #: APRab04262



## **Summary**

**Production Name** Arrestin-β-1 (phospho Ser412) Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** IHC,WB,ELISA **Reactivity** Human,Monkey

#### **Performance**

**Conjugation** Unconjugated

**Modification** Phospho Antibody

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Gene Name ARRB1

Alternative Names ARRB1; ARR1; Beta-arrestin-1; Arrestin beta-1

**Gene ID** 408.0

P49407.The antiserum was produced against synthesized peptide derived from human SwissProt ID

Arrestin 1 around the phosphorylation site of Ser412. AA range:369-418

## **Application**

**Dilution Ratio** WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:10000..

Molecular Weight 47kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# Product Name: Arrestin-β-1 (phospho Ser412) Rabbit

Polyclonal Antibody Catalog #: APRab04262




## **Background**

Members of arrestin/beta-arrestin protein family are thought to participate in agonist-mediated desensitization of G-protein-coupled receptors and cause specific dampening of cellular responses to stimuli such as hormones, neurotransmitters, or sensory signals. Arrestin beta 1 is a cytosolic protein and acts as a cofactor in the beta-adrenergic receptor kinase (BARK) mediated desensitization of beta-adrenergic receptors. Besides the central nervous system, it is expressed at high levels in peripheral blood leukocytes, and thus the BARK/beta-arrestin system is believed to play a major role in regulating receptor-mediated immune functions. Alternatively spliced transcripts encoding different isoforms of arrestin beta 1 have been described. [provided by RefSeq, Jan 2011],function:Regulates beta-adrenergic receptor function. Beta-arrestins seem to bind phosphorylated beta-adrenergic receptors, thereby causing a significant impairment of their capacity to activate G(S) proteins.,online information:Arrestin entry,similarity:Belongs to the arrestin family.,

#### Research Area


MAPK\_ERK\_Growth;MAPK\_G\_Protein;Chemokine;Endocytosis;

## **Image Data**



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Arrestin 1 (Phospho-Ser412)

Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from COS7 cells treated with Etoposide 25uM 60 ', using Arrestin 1 (Phospho-Ser412)


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# Product Name: Arrestin-β-1 (phospho Ser412) Rabbit

Polyclonal Antibody Catalog #: APRab04262



Antibody. The lane on the right is blocked with the phospho peptide.



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100 (4°,overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.

#### Note

For research use only.