

### Summary

one H1 (phospho Thr17) Rabbit Polyclonal Antibody
it Polyclonal Antibody
it
A,IF,IHC,WB
an, Mouse, Monkey

#### Performance

Conjugation	Unconjugated
Modification	Phospho Antibody
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
Storage	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

### Immunogen

Gene Name	HIST1H1B
	HIST1H1B; H1F5; Histone H1.5; Histone H1a; Histone H1b; Histone H1s-3; HIST1H1D;
Alternative Names	H1F3; Histone H1.3; Histone H1c; Histone H1s-2; HIST1H1E; H1F4; Histone H1.4;
	Histone H1b; Histone H1s-4
Gene ID	3009/3007/3008
	P16401/P16402/P10412.The antiserum was produced against synthesized peptide
SwissProt ID	derived from human Histone H1 around the phosphorylation site of Thr17. AA range:1-
	50

# Application

<b>Dilution Ratio</b>	WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in

## Product Name: Histone H1 (phospho Thr17) Rabbit Polyclonal Antibody Catalog #: APRab04773



other applications.

Molecular Weight

31kD


## Background

Histones are basic nuclear proteins responsible for nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H1 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the small histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015],function:Histones H1 are necessary for the condensation of nucleosome chains into higher order structures, similarity:Belongs to the histone H1/H5 family.,

## **Research Area**


Protein\_Acetylation

# Image Data




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Histone H1 (Phospho-Thr17) Antibody






Immunofluorescence analysis of HUVEC cells treated with serum 20% 30 ', using Histone H1 (Phospho-Thr17) Antibody. The picture on the right is blocked with the phospho peptide.




Immunohistochemistry analysis of paraffin-embedded human colon carcinoma, using Histone H1 (Phospho-Thr17) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from Jurkat cells treated with UV 15 ', using Histone H1 (Phospho-Thr17) Antibody. The lane on the right is blocked with the phospho peptide.





Western blot analysis of SKOV3 using p-Histone H1 (T17) antibody. Antibody was diluted at 1:1000 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).

#### Note

For research use only.