# Product Name: p70 S6 kinase α (phospho Ser371) Rabbit Polyclonal Antibody

Polyclonal Antibody Catalog #: APRab05185



# **Summary**

**Production Name** p70 S6 kinase α (phospho Ser371) Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** ELISA,IHC,WB, **Reactivity** Human,Mouse,Rat

#### **Performance**

**Conjugation** Unconjugated

**Modification** Phospho Antibody

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

## **Immunogen**

Gene Name RPS6KB1 STK14A P70S6K

RPS6KB1; STK14A; Ribosomal protein S6 kinase beta-1; S6K-beta-1; S6K1; 70 kDa

Alternative Names ribosomal protein S6 kinase 1; P70S6K1; p70-S6K 1; Ribosomal protein S6 kinase I;

Serine/threonine-protein kinase 14A; p70 ribosomal S6 kinase alpha; p70 S6 kinas

**Gene ID** 6198.0

P23443.The antiserum was produced against synthesized peptide derived from human SwissProt ID

p70 S6 Kinase around the phosphorylation site of Ser371. AA range:337-386

# **Application**

**Dilution Ratio** WB 1:500 - 1:2000 IHC 1:100 - 1:300. ELISA: 1:20000...

Molecular Weight 60kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

**Polyclonal Antibody** Catalog #: APRab05185




# **Background**

ribosomal protein S6 kinase B1(RPS6KB1) Homo sapiens This gene encodes a member of the ribosomal S6 kinase family of serine/threonine kinases. The encoded protein responds to mTOR (mammalian target of rapamycin) signaling to promote protein synthesis, cell growth, and cell proliferation. Activity of this gene has been associated with human cancer. Alternatively spliced transcript variants have been observed. The use of alternative translation start sites results in isoforms with longer or shorter N-termini which may differ in their subcellular localizations. There are two pseudogenes for this gene on chromosome 17. [provided by RefSeq, Jan 2013], catalytic activity: ATP + a protein = ADP + a phosphoprotein, enzyme regulation: Activation by serine/threonine phosphorylation and protein kinase C, inactivated by type 2A phosphatase, function: Phosphorylates specifically ribosomal protein S6 in response to insulin or several classes of mitogens, similarity: Belongs to the protein kinase superfamily, similarity: Belongs to the protein kinase superfamily. Ser/Thr protein kinase family. S6 kinase subfamily., similarity: Contains 1 AGC-kinase C-terminal domain., similarity: Contains 1 protein kinase domain., subunit:Interacts with PPP1R9A/neurabin-1., tissue specificity:Widely expressed.,

#### Research Area

Regulates Angiogenesis; Insulin Receptor; ErbB/HER; mTOR; B Cell Receptor; PI3K/Akt; PI3K/Akt; AMPK

# **Image Data**




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using p70 S6 Kinase (Phospho-Ser371) Antibody


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838








Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using p70 S6 Kinase (Phospho-Ser371) Antibody. The picture on the right is blocked with the phospho peptide.



Western blot analysis of lysates from COLO205 cells treated with serum 20% 15 ', using p70 S6 Kinase (Phospho-Ser371) Antibody. The lane on the right is blocked with the phospho peptide.



Western Blot analysis of COLO cells using Phospho-p70 S6 kinase α (S371) Polyclonal Antibody diluted at 1: 500

## Note

For research use only.