

Antibody

Catalog #: APRab05573



Summary

TPH1 (phospho Ser58) Rabbit Polyclonal Antibody **Production Name**

Description Rabbit Polyclonal Antibody

Rabbit Host

Application IHC,WB,ELISA Reactivity Human, Mouse, Rat

Performance

Conjugation Unconjugated

Phospho Antibody Modification

Isotype IgG

Clonality Polyclonal **Form** Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw Storage

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name TPH1

Alternative Names TPH1; TPH; TPRH; TRPH; Tryptophan 5-hydroxylase 1; Tryptophan 5-monooxygenase 1

Gene ID 7166.0

P17752. The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

Tryptophan Hydroxylase around the phosphorylation site of Ser58. AA range:26-75

Application

Dilution Ratio WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:10000...

Molecular Weight 51kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Antibody

Catalog #: APRab05573



Background


This gene encodes a member of the aromatic amino acid hydroxylase family. The encoded protein catalyzes the first and rate limiting step in the biosynthesis of serotonin, an important hormone and neurotransmitter. Mutations in this gene have been associated with an elevated risk for a variety of diseases and disorders, including schizophrenia, somatic anxiety, anger-related traits, bipolar disorder, suicidal behavior, addictions, and others.[provided by RefSeq, Apr 2009],catalytic activity:L-tryptophan + tetrahydrobiopterin + O(2) = 5-hydroxy-L-tryptophan + 4a-

hydroxytetrahydrobiopterin.,cofactor:Fe(2+) ion.,pathway:Aromatic compound metabolism; serotonin biosynthesis; serotonin from L-tryptophan: step 1/2., similarity: Belongs to the biopterin-dependent aromatic amino acid hydroxylase family., similarity: Contains 1 ACT domain., subunit: Multimer of identical subunits., tissue specificity: Isoform 2 seems to be less widely expressed than isoform 1.,


Research Area

Tryptophan metabolism;

Image Data



Immunohistochemistry analysis of paraffin-embedded human brain, using Tryptophan Hydroxylase (Phospho-Ser58) Antibody. The picture on the right is blocked with the phospho peptide.




Western blot analysis of lysates from 293 cells treated with paclitaxel 1uM 24h, using Tryptophan Hydroxylase (Phospho-

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Catalog #: APRab05573

Ser58) Antibody. The lane on the right is blocked with the phospho peptide.



Western Blot analysis of 293 cells using Phospho-TPH1 (S58) Polyclonal Antibody

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838