

Summary

A Cyclase V/VI Rabbit Polyclonal Antibody
Rabbit Polyclonal Antibody
Rabbit
IHC,IF,ELISA
Human, Mouse, Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
Storage	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	ADCY5/ADCY6
	ADCY6; KIAA0422; Adenylate cyclase type 6; ATP pyrophosphate-lyase 6; Adenylate
Alternative Names	cyclase type VI; Adenylyl cyclase 6; Ca(2+)-inhibitable adenylyl cyclase; ADCY5;
	Adenylate cyclase type 5; ATP pyrophosphate-lyase 5; Adenylate cyclase type V;
Gene ID	112/111
SwissProt ID	O43306/O95622.The antiserum was produced against synthesized peptide derived
	from human ADCY5/6. AA range:931-980

Application



Molecular Weight


Background

This gene encodes a member of the adenylyl cyclase family of proteins, which are required for the synthesis of cyclic AMP. All members of this family have an intracellular N-terminus, a tandem repeat of six transmembrane domains separated by a cytoplasmic loop, and a C-terminal cytoplasmic domain. The two cytoplasmic regions bind ATP and form the catalytic core of the protein. Adenylyl cyclases are important effectors of transmembrane signaling pathways and are regulated by the activity of G protein coupled receptor signaling. This protein belongs to a small subclass of adenylyl cyclase proteins that are functionally related and are inhibited by protein kinase A, calcium ions and nitric oxide. A mutation in this gene is associated with arthrogryposis multiplex congenita. [provided by RefSeq, May 2015],catalytic activity:ATP = 3',5'-cyclic AMP + diphosphate.,cofactor:Binds 2 magnesium ions per subunit.,enzyme regulation:Inhibition by calcium in the submicromolar concentration range.,function:Membrane-bound, calcium-inhibitable adenylyl cyclase.,similarity:Belongs to the adenylyl cyclase class-4/guanylyl cyclase family.,similarity:Contains 2 guanylate cyclase domains.,

Research Area


Purine metabolism; Chemokine; Oocyte meiosis; Vascular smooth muscle contraction; Gap junction; Taste transduction; GnRH; Progesterone-mediated oocyte maturation; Melanogenesis; Dilated cardiomy opathy;

Image Data



Immunofluorescence analysis of HeLa cells, using ADCY5/6 Antibody. The picture on the right is blocked with the synthesized peptide.





Immunohistochemistry analysis of paraffin-embedded human brain tissue, using ADCY5/6 Antibody. The picture on the right is blocked with the synthesized peptide.

Note

For research use only.