# **Product Name: ABHD4 Rabbit Polyclonal Antibody**

Catalog #: APRab06439



## **Summary**

Production Name ABHD4 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

HostRabbitApplicationIHC,ELISAReactivityHuman,Mouse

#### **Performance**

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

#### **Immunogen**

Gene Name ABHD4

ABHD4; Abhydrolase domain-containing protein 4; Alpha/beta-hydrolase 4; Lyso-N-Alternative Names

acylphosphatidylethanolamine lipase

**Gene ID** 63874.0

Q8TB40.The antiserum was produced against synthesized peptide derived from human **SwissProt ID** 

ABHD4. AA range:251-300

# **Application**

**Dilution Ratio** IHC 1:100-1:300 ELISA: 1:20000

**Molecular Weight** 

## **Background**


# Product Name: ABHD4 Rabbit Polyclonal Antibody Catalog #: APRab06439



caution:Thr-291 is present instead of the conserved His which is expected to be an active site residue., function:Lysophospholipase selective for N-acyl phosphatidylethanolamine (NAPE). Contributes to the biosynthesis of N-acyl ethanolamines, including the endocannabinoid anandamide by hydrolyzing the sn-1 and sn-2 acyl chains from N-acyl phosphatidylethanolamine (NAPE) generating glycerophospho-N-acyl ethanolamine (GP-NAE), an intermediate for N-acyl ethanolamine biosynthesis. Hydrolyzes substrates bearing saturated, monounsaturated, polyunsaturated N-acyl chains. Shows no significant activity towards other lysophospholipids, including lysophosphatidylcholine, lysophosphatidylethanolamine and lysophosphatidylserine., similarity:Belongs to the peptidase S33 family. ABHD4/ABHD5 subfamily., caution:Thr-291 is present instead of the conserved His which is expected to be an active site residue., function:Lysophospholipase selective for N-acyl phosphatidylethanolamine (NAPE). Contributes to the biosynthesis of N-acyl ethanolamines, including the endocannabinoid anandamide by hydrolyzing the sn-1 and sn-2 acyl chains from N-acyl phosphatidylethanolamine (NAPE) generating glycerophospho-N-acyl ethanolamine (GP-NAE), an intermediate for N-acyl ethanolamine biosynthesis. Hydrolyzes substrates bearing saturated, monounsaturated, polyunsaturated N-acyl chains. Shows no significant activity towards other lysophospholipids, including lysophosphatidylcholine, lysophosphatidylethanolamine and lysophosphatidylserine., similarity:Belongs to the peptidase S33 family. ABHD4/ABHD5 subfamily.,

#### **Research Area**

#### **Image Data**



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using ABHD4 Antibody. The picture on the right is blocked with the synthesized peptide.

#### Note

For research use only.