

**Product Name: ACSL6 Rabbit Polyclonal Antibody**  
**Catalog #: APRab06535**



## Summary

<b>Production Name</b>	ACSL6 Rabbit Polyclonal Antibody
<b>Description</b>	Rabbit Polyclonal Antibody
<b>Host</b>	Rabbit
<b>Application</b>	WB,IHC,ELISA
<b>Reactivity</b>	Human,Mouse,Rat

## Performance

<b>Conjugation</b>	Unconjugated
<b>Modification</b>	Unmodified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Form</b>	Liquid
<b>Storage</b>	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
<b>Buffer</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
<b>Purification</b>	Affinity purification

## Immunogen

<b>Gene Name</b>	ACSL6
<b>Alternative Names</b>	ACSL6; ACS2; FAFL6; KIAA0837; LACS5; Long-chain-fatty-acid--CoA ligase 6; Long-chain acyl-CoA synthetase 6; LACS 6
<b>Gene ID</b>	23305.0
<b>SwissProt ID</b>	Q9UKU0.The antiserum was produced against synthesized peptide derived from human ACSL6. AA range:499-548

## Application

<b>Dilution Ratio</b>	WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000..
<b>Molecular Weight</b>	78kD


## Background

The protein encoded by this gene catalyzes the formation of acyl-CoA from fatty acids, ATP, and CoA, using magnesium as a cofactor. The encoded protein plays a major role in fatty acid metabolism in the brain. Translocations with the ETV6 gene are causes of myelodysplastic syndrome with basophilia, acute myelogenous leukemia with eosinophilia, and acute eosinophilic leukemia. Several transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Apr 2011],catalytic activity:ATP + a long-chain carboxylic acid + CoA = AMP + diphosphate + an acyl-CoA.,cofactor:Magnesium.,developmental stage:Expression is low at earlier stages of erythroid development but is very high in reticulocytes.,disease:A chromosomal aberration involving ACSL6 may be a cause of acute eosinophilic leukemia (AEL). Translocation t(5;12)(q31;p13) with ETV6.,disease:A chromosomal aberration involving ACSL6 may be a cause of acute myelogenous leukemia with eosinophilia. Translocation t(5;12)(q31;p13) with ETV6.,disease:A chromosomal aberration involving ACSL6 may be a cause of myelodysplastic syndrome with basophilia. Translocation t(5;12)(q31;p13) with ETV6.,function:Activation of long-chain fatty acids for both synthesis of cellular lipids, and degradation via beta-oxidation. Plays an important role in fatty acid metabolism in brain and the acyl-CoAs produced may be utilized exclusively for the synthesis of the brain lipid.,similarity:Belongs to the ATP-dependent AMP-binding enzyme family.,tissue specificity:Expressed predominantly in erythrocyte precursors, in particular in reticulocytes, fetal blood cells derived from fetal liver, haemopoietic stem cells from cord blood, bone marrow, and brain.,

## Research Area


Fatty acid metabolism;PPAR;Adipocytokine;

## Image Data




Western blot analysis of lysates from COLO and Jurkat cells, using ACSL6 Antibody. The lane on the right is blocked with the synthesized peptide.

**Product Name: ACSL6 Rabbit Polyclonal Antibody**  
**Catalog #: APRab06535**



Western Blot analysis of various cells using ACSL6 Polyclonal Antibody diluted at 1 : 1000



Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100 (4°, overnight) . High-pressure and temperature Tris-EDTA, pH 8.0 was used for antigen retrieval. Negative control (right) obtained from antibody was pre-absorbed by immunogen peptide.

## **Note**

For research use only.