# **Product Name: ADD1 Rabbit Polyclonal Antibody**

Catalog #: APRab06617



# **Summary**

Production Name ADD1 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

Application IHC,IF,ELISA

**Reactivity** Human, Mouse, Rat

### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

## **Immunogen**

Storage

Gene Name ADD1

Alternative Names ADD1; ADDA; Alpha-adducin; Erythrocyte adducin subunit alpha

**Gene ID** 118.0

P35611.The antiserum was produced against synthesized peptide derived from human SwissProt ID

ADD1. AA range:411-460

# **Application**

**Dilution Ratio** IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:10000. Not yet tested in other applications.

**Molecular Weight** 

# **Background**


# Product Name: ADD1 Rabbit Polyclonal Antibody Catalog #: APRab06617



adducin 1(ADD1) Homo sapiens Adducins are a family of cytoskeleton proteins encoded by three genes (alpha, beta, gamma). Adducin is a heterodimeric protein that consists of related subunits, which are produced from distinct genes but share a similar structure. Alpha- and beta-adducin include a protease-resistant N-terminal region and a protease-sensitive, hydrophilic C-terminal region. Alpha- and gamma-adducins are ubiquitously expressed. In contrast, beta-adducin is expressed at high levels in brain and hematopoietic tissues. Adducin binds with high affinity to Ca(2+)/calmodulin and is a substrate for protein kinases A and C. Alternative splicing results in multiple variants encoding distinct isoforms; however, not all variants have been fully described. [provided by RefSeq, Jul 2008], alternative products: Additional isoforms seem to exist, domain: Each subunit is comprised of three regions: a NH2-terminal protease-resistant globular head region, a short connecting subdomain, and a protease-sensitive tail region, function: Membrane-cytoskeleton-associated protein that promotes the assembly of the spectrin-actin network. Binds to calmodulin, PTM: The N-terminus is blocked, similarity: Belongs to the aldolase class II family. Adducin subfamily, subunit: Heterodimer of an alpha and a beta subunit or an alpha and a gamma subunit. Binds ROCK1, tissue specificity: Expressed in all tissues. Found in much higher levels in reticulocytes than the beta subunit.

#### **Research Area**

# **Image Data**




Immunofluorescence analysis of HeLa cells, using ADD1 Antibody. The picture on the right is blocked with the synthesized peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# **Product Name: ADD1 Rabbit Polyclonal Antibody**

Catalog #: APRab06617





Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using ADD1 Antibody. The picture on the right is blocked with the synthesized peptide.

### Note

For research use only.