

## Summary

Production Name	ARHGAP9 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human,Rat,Mouse

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

#### Immunogen

Gene Name	ARHGAP9
Alternative Names	ARHGAP9; Rho GTPase-activating protein 9; Rho-type GTPase-activating protein 9
Gene ID	64333.0
SwissProt ID	Q9BRR9.The antiserum was produced against synthesized peptide derived from human
	RHG9. AA range:220-269

# Application

Dilution Ratio	WB 1:500 - 1:2000. ELISA: 1:40000
Molecular Weight	90kD

## Background


## Product Name: ARHGAP9 Rabbit Polyclonal Antibody Catalog #: APRab07126




This gene encodes a member of the Rho-GAP family of GTPase activating proteins. The protein has substantial GAP activity towards several Rho-family GTPases in vitro, converting them to an inactive GDP-bound state. It is implicated in regulating adhesion of hematopoietic cells to the extracellular matrix. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],function:GTPase activator for the Rho-type GTPases by converting them to an inactive GDP-bound state. Has a substantial GAP activity toward CDC42 and RAC1 and less toward RHOA. Has a role in regulating adhesion of hematopoietic cells to the extracellular matrix.similarity:Contains 1 PH domain.,similarity:Contains 1 Rho-GAP domain.,similarity:Contains 1 SH3 domain.,similarity:Contains 1 WW domain.,tissue specificity:Predominantly expressed in peripheral blood leukocytes, spleen, and thymus.,

## **Research Area**

### **Image Data**



Western blot analysis of lysates from LOVO cells, using RHG9 Antibody. The lane on the right is blocked with the synthesized



Western blot analysis of the lysates from COLO205 cells using RHG9 antibody.

#### **Note** For research use only.

