# **Product Name: Bag-3 Rabbit Polyclonal Antibody**

Catalog #: APRab07440



#### **Summary**

**Production Name** Bag-3 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** WB,IHC,ELISA **Reactivity** Human,Mouse,Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

#### **Immunogen**

Storage

Gene Name BAG3

BAG3; BIS; BAG family molecular chaperone regulator 3; BAG-3; Bcl-2-associated

athanogene 3; Bcl-2-binding protein Bis; Docking protein CAIR-1

**Gene ID** 9531.0

O95817.The antiserum was produced against synthesized peptide derived from human **SwissProt ID** 

BAG3. AA range:411-460

### **Application**

**Dilution Ratio** WB 1:500 - 1:2000. IHC 1:100 - 1:300. ELISA: 1:40000...

Molecular Weight 80kD

## **Product Name: Bag-3 Rabbit Polyclonal Antibody**

Catalog #: APRab07440




#### **Background**


BAG proteins compete with Hip for binding to the Hsc70/Hsp70 ATPase domain and promote substrate release. All the BAG proteins have an approximately 45-amino acid BAG domain near the C terminus but differ markedly in their N-terminal regions. The protein encoded by this gene contains a WW domain in the N-terminal region and a BAG domain in the C-terminal region. The BAG domains of BAG1, BAG2, and BAG3 interact specifically with the Hsc70 ATPase domain in vitro and in mammalian cells. All 3 proteins bind with high affinity to the ATPase domain of Hsc70 and inhibit its chaperone activity in a Hip-repressible manner. [provided by RefSeq, Jul 2008],function:Inhibits the chaperone activity of HSP70/HSC70 by promoting substrate release. Has anti-apoptotic activity.,similarity:Contains 1 BAG domain.,similarity:Contains 2 WW domains.,subunit:Binds to the ATPase domain of HSP70/HSC chaperones. Binds to Bcl-2 and PLC-gamma.,

#### **Research Area**

#### **Image Data**



Western blot analysis of BAG3 Antibody. The lane on the right is blocked with the BAG3 peptide.




Immunohistochemistryt analysis of paraffin-embedded human liver carcinoma, using BAG3 Antibody. The lane on the right is blocked with the BAG3 peptide.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

# Product Name: Bag-3 Rabbit Polyclonal Antibody Catalog #: APRab07440

**C** EnkiLife



Western blot analysis of the lysates from K562 cells using BAG3 antibody.

#### Note

For research use only.