# **Product Name: BMP-1 Rabbit Polyclonal Antibody**

Catalog #: APRab07587



### **Summary**

**Production Name** BMP-1 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application IHC,ELISA

**Reactivity** Human, Mouse, Rat

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

### **Immunogen**

Storage

Gene Name BMP1 PCOLC

Bone morphogenetic protein 1 (BMP-1;EC 3.4.24.19;Mammalian tolloid Alternative Names

protein;mTld;Procollagen C-proteinase;PCP)

**Gene ID** 649.0

**SwissProt ID** P13497.Synthetic peptide from human protein at AA range: 131-180

# **Application**

**Dilution Ratio** IHC 1:50-200, ELISA 1:10000-20000.

**Molecular Weight** 

## **Background**

# **Product Name: BMP-1 Rabbit Polyclonal Antibody**


Catalog #: APRab07587




This gene encodes a protein that is capable of inducing formation of cartilage in vivo. Although other bone morphogenetic proteins are members of the TGF-beta superfamily, this gene encodes a protein that is not closely related to other known growth factors. This gene is expressed as alternatively spliced variants that share an N-terminal protease domain but differ in their C-terminal region. [provided by RefSeq, Aug 2008],catalytic activity:Cleavage of the C-terminal propeptide at Ala-|-Asp in type I and II procollagens and at Arg-|-Asp in type III.,cofactor:Binds 1 zinc ion per subunit.,enzyme regulation:Activity is increased by the procollagen C-endopeptidase enhancer protein.,function:Cleaves the C-terminal propeptides of procollagen I, II and III. Induces cartilage and bone formation. May participate in dorsoventral patterning during early development by cleaving chordin (CHRD).,similarity:Belongs to the peptidase M12A family.,similarity:Contains 2 EGF-like domains.,similarity:Contains 5 CUB domains.,tissue specificity:Ubiquitous.,

#### Research Area

### **Image Data**



Immunohistochemical analysis of paraffin-embedded human-skin, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-skin, antibody was diluted at 1:200

#### Note

For research use only.

**Product Name: BMP-1 Rabbit Polyclonal Antibody** 

Catalog #: APRab07587



Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838