# Product Name: Cadherin-16 Rabbit Polyclonal Antibody Catalog #: APRab07827

## **Summary**

**Production Name** Cadherin-16 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

Host Rabbit
Application WB,

**Reactivity** Human,Rat,Mouse

## **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

### **Immunogen**

Storage

Gene Name CDH16

Alternative Names CDH16; Cadherin-16; Kidney-specific cadherin; Ksp-cadherin

**Gene ID** 1014.0

O75309. The antiserum was produced against synthesized peptide derived from human

CDH16. AA range:780-829

## **Application**

**SwissProt ID** 

**Dilution Ratio** WB 1:500 - 1:2000. ELISA: 1:10000. Not yet tested in other applications.

Molecular Weight 90kD

# **Background**




This gene is a member of the cadherin superfamily, genes encoding calcium-dependent, membrane-associated glycoproteins. Mapped to a previously identified cluster of cadherin genes on chromosome 16q22.1, the gene localizes with superfamily members CDH1, CDH3, CDH5, CDH8 and CDH11. The protein consists of an extracellular domain containing 6 cadherin domains, a transmembrane region and a truncated cytoplasmic domain but lacks the prosequence and tripeptide HAV adhesion recognition sequence typical of most classical cadherins. Expression is exclusively in kidney, where the protein functions as the principal mediator of homotypic cellular recognition, playing a role in the morphogenic direction of tissue development. Alternatively spliced transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Mar 2011], function: Cadherins are calcium dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types., similarity: Contains 6 cadherin domains., tissue specificity: Kidney specific.,


#### Research Area

Adherens Junction

## **Image Data**




Western blot analysis of lysates from A549 cells, using CDH16 Antibody. The lane on the right is blocked with the synthesized peptide.




Western blot analysis of the lysates from HepG2 cells using Cytochrome P450 24A1 antibody.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





Western Blot analysis of various cells using Cadherin-16 Polyclonal Antibody diluted at 1: 1000



Western Blot analysis of A549 cells using Cadherin-16 Polyclonal Antibody diluted at 1: 1000

#### Note

For research use only.