Summary

Production Name Cathepsin G Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

Reactivity Human, Rat, Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Storage

Gene Name CTSG

Alternative Names CTSG; Cathepsin G; CG

Gene ID 1511.0

P08311.The antiserum was produced against synthesized peptide derived from human

Cathepsin G. AA range:67-116

Application

SwissProt ID

Dilution Ratio WB 1:500 - 1:2000. ELISA: 1:40000.

Molecular Weight 22kD

Background




The protein encoded by this gene, a member of the peptidase S1 protein family, is found in azurophil granules of neutrophilic polymorphonuclear leukocytes. The encoded protease has a specificity similar to that of chymotrypsin C, and may participate in the killing and digestion of engulfed pathogens, and in connective tissue remodeling at sites of inflammation. In addition, the encoded protein is antimicrobial, with bacteriocidal activity against S. aureus and N. gonorrhoeae. Transcript variants utilizing alternative polyadenylation signals exist for this gene. [provided by RefSeq, Sep 2014], catalytic activity: Specificity similar to chymotrypsin C., enzyme regulation: Inhibited by soybean trypsin inhibitor, benzamidine, the synthetic peptide R13K, Z-Gly-Leu-Phe-CH2Cl and phenylmethylsulfonyl fluoride. Inhibited by LPS from P.aeruginosa but not by LPS from S.minnesota, function: Serine protease with trypsin- and chymotrypsin-like specificity. Has antibacterial activity against the Gram-nagative bacterium P.aeruginosa, antibacterial activity is inhibited by LPS from P.aeruginosa, Z-Gly-Leu-Phe-CH2Cl and phenylmethylsulfonyl fluoride., similarity: Belongs to the peptidase S1 family, similarity: Contains 1 peptidase S1 domain.,


Research Area

Neuroactive ligand-receptor interaction; Lysosome; Renin-angiotensin system; Systemic lupus erythematosus;

Image Data



Western blot analysis of lysate from COLO cells, using Cathepsin G antibody.



Western Blot analysis of COLO205 cells using Cathepsin G Polyclonal Antibody

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



Note

For research use only.