

## Summary

Production Name	CYP26C1 Rabbit Polyclonal Antibody	
Description	Rabbit Polyclonal Antibody	
Host	Rabbit	
Application	WB,IHC,ELISA	
Reactivity	Human, Rat, Mouse	

#### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

#### Immunogen

Gene Name	CYP26C1
Alternative Names	CYP26C1; Cytochrome P450 26C1
Gene ID	340665.0
SwissProt ID	Q6V0L0. The antiserum was produced against synthesized peptide derived from human
	CYP26C1. AA range:41-90

# Application

Dilution Ratio	WB 1:500-2000 IHC 1:100 -	1:300. ELISA: 1:40000
----------------	---------------------------	-----------------------

**Molecular Weight** 

## Background

# Product Name: CYP26C1 Rabbit Polyclonal Antibody Catalog #: APRab09641




cytochrome P450 family 26 subfamily C member 1(CYP26C1) Homo sapiens This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This enzyme is involved in the catabolism of all-trans- and 9-cis-retinoic acid, and thus contributes to the regulation of retinoic acid levels in cells and tissues. This gene is adjacent to a related gene on chromosome 10q23.33. [provided by RefSeq, Jul 2008],cofactor:Heme group.,function:Plays a role in retinoic acid metabolism. Acts on retinoids, including all-trans-retinoic acid (RA) and its stereoisomer 9-cis-RA (preferred substrate).,induction:By retinoic acid.,similarity:Belongs to the cytochrome P450 family.,tissue specificity:Detected in most tissues at very low level.,


#### **Research Area**

Retinol metabolism;

# Image Data



Immunohistochemistry analysis of paraffin-embedded human brain, using Cytochrome P450 26C1 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HeLa cells using Ik3-1 antibody.

#### **Note** For research use only.

