Product Name: DDX54 Rabbit Polyclonal Antibody

Catalog #: APRab09890



Summary

Production Name DDX54 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB

Reactivity Human, Rat, Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name DDX54

DDX54; ATP-dependent RNA helicase DDX54; ATP-dependent RNA helicase DP97; Alternative Names

DEAD box RNA helicase 97 kDa; DEAD box protein 54

Gene ID 79039.0

SwissProt ID Q8TDD1.Synthesized peptide derived from DDX54 . at AA range: 570-650

Application

Dilution Ratio WB 1:500-1:2000. ELISA: 1:10000.

Molecular Weight

Background

This gene encodes a member of the DEAD box protein family. DEAD box proteins, characterized by the conserved motif

Product Name: DDX54 Rabbit Polyclonal Antibody


Catalog #: APRab09890



Asp-Glu-Ala-Asp (DEAD), are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of this family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. The nucleolar protein encoded by this gene interacts in a hormone-dependent manner with nuclear receptors, and represses their transcriptional activity. Alternative splice variants that encode different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],caution:The sequence shown here is derived from an Ensembl automatic analysis pipeline and should be considered as preliminary data.,function:Has RNA-dependent ATPase activity. Represses the transcriptional activity of nuclear receptors.,similarity:Belongs to the DEAD box helicase family. DDX54/DBP10 subfamily.,similarity:Contains 1 helicase ATP-binding domain.,similarity:Contains 1 helicase C-terminal domain.,subunit:Interacts in a hormone-dependent manner with nuclear receptors.,

Research Area

Image Data



Western Blot analysis of various cells using DDX54 Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).

Note

For research use only.