

Summary

Production Name	DNA pol α Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	POLA1
Alternative Names	POLA1; POLA; DNA polymerase alpha catalytic subunit; DNA polymerase alpha catalytic
	subunit p180
Gene ID	5422.0
SwissProt ID	P09884.The antiserum was produced against synthesized peptide derived from human
	DNA Polymerase alpha. AA range:81-130

Application

Dilution Ratio	WB 1:500 - 1:2000. ELISA: 1:20000
Molecular Weight	165kD




Background

This gene encodes the catalytic subunit of DNA polymerase, which together with a regulatory and two primase subunits, forms the DNA polymerase alpha complex. The catalytic subunit plays an essential role in the initiation of DNA replication. [provided by RefSeq, Mar 2010], catalytic activity: Deoxynucleoside triphosphate + DNA(n) = diphosphate + DNA(n+1)., function: Polymerase alpha in a complex with DNA primase is a replicative polymerase., miscellaneous: In eukaryotes there are five DNA polymerases: alpha, beta, gamma, delta, and epsilon which are responsible for different reactions of DNA synthesis., PTM:A 165 kDa form is probably produced by proteolytic cleavage at Lys-124., similarity: Belongs to the DNA polymerase type-B family., subunit: Interacts with SV40 Large T antigen; this interaction allows viral DNA replication.,


Research Area

Purine metabolism;Pyrimidine metabolism;DNA replication;

Image Data



Western blot analysis of lysates from HepG2, 293, and Jurkat cells, using DNA Polymerase alpha Antibody. The lane on the



Western Blot analysis of various cells using DNA pol α Polyclonal Antibody diluted at 1: 1000



Note

For research use only.