

Summary

| Production Name | EBP2 Rabbit Polyclonal Antibody |
|-----------------|---------------------------------|
| Description | Rabbit Polyclonal Antibody |
| Host | Rabbit |
| Application | WB |
| Reactivity | Human,Mouse |

Performance

| Conjugation | Unconjugated |
|--------------|--|
| Modification | Unmodified |
| lsotype | IgG |
| Clonality | Polyclonal |
| Form | Liquid |
| Storage | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles. |
| Buffer | Liquid in PBS containing 50% glycerol, and 0.02% New type preservative N. |
| Purification | Affinity purification |

Immunogen

| Gene Name | EBNA1BP2 EBP2 |
|-------------------|--|
| Alternative Names | |
| Gene ID | 10969.0 |
| SwissProt ID | Q99848.Synthesized peptide derived from human protein . at AA range: 140-220 |
| | |

Application

| Dilution Ratio | WB 1:500-2000 ELISA 1:5000-20000 |
|------------------|----------------------------------|
| Molecular Weight | 33kD |

Background

function:Required for the processing of the 27S pre-rRNA., similarity:Belongs to the EBP2 family., subunit:Specifically interacts with EBV EBNA1. The EBNA1-EBP2 interaction is important for the stable segregation of EBV episomes during cell

Product Name: EBP2 Rabbit Polyclonal Antibody Catalog #: APRab10276



division.,tissue specificity:Ubiquitous.,function:Required for the processing of the 27S pre-rRNA.,similarity:Belongs to the EBP2 family.,subunit:Specifically interacts with EBV EBNA1. The EBNA1-EBP2 interaction is important for the stable segregation of EBV episomes during cell division.,tissue specificity:Ubiquitous.,

Research Area




Image Data

Western blot analysis of lysates from PC12 cells, primary antibody was diluted at 1:1000, 4° over night

Note

For research use only.