# **Product Name: EDG-6 Rabbit Polyclonal Antibody**

Catalog #: APRab10302



## **Summary**

**Production Name** EDG-6 Rabbit Polyclonal Antibody

**Description** Rabbit Polyclonal Antibody

**Host** Rabbit

**Application** WB,IF,ELISA

**Reactivity** Human,Rat,Mouse

#### **Performance**

ConjugationUnconjugatedModificationUnmodified

**Isotype** IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

**Buffer** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

**Purification** Affinity purification

### **Immunogen**

Storage

Gene Name S1PR4

S1PR4; EDG6; Sphingosine 1-phosphate receptor 4; S1P receptor 4; S1P4; Endothelial

**Alternative Names** differentiation G-protein coupled receptor 6; Sphingosine 1-phosphate receptor Edg-6;

S1P receptor Edg-6

**Gene ID** 8698.0

O95977.The antiserum was produced against synthesized peptide derived from human

SwissProt ID EDG6. AA range:211-260

## **Application**

**Dilution Ratio** WB 1:500 - 1:2000. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other applications.

Molecular Weight 41kD

# **Product Name: EDG-6 Rabbit Polyclonal Antibody**

Catalog #: APRab10302




## **Background**

This gene is a member of the endothelial differentiation, G-protein-coupled (EDG)) receptor gene family. EDG receptors bind lysophospholipids or lysosphingolipids as ligands, and are involved in cell signalling in many different cell types. This EDG receptor gene is intronless and is specifically expressed in the lymphoid tissue. [provided by RefSeq, Jul 2008], function:Receptor for the lysosphingolipid sphingosine 1-phosphate (S1P). S1P is a bioactive lysophospholipid that elicits diverse physiological effect on most types of cells and tissues. May be involved in cell migration processes that are specific for lymphocytes., similarity:Belongs to the G-protein coupled receptor 1 family., tissue specificity:Specifically expressed in fetal and adult lymphoid and hematopoietic tissue as well as in lung. Considerable level of expression in adult and fetal spleen as well as adult peripheral leukocytes and lung. Lower expression in adult thymus, lymph node, bone marrow, and appendix as well as in fetal liver, thymus, and lung.


#### Research Area

Neuroactive ligand-receptor interaction;

## **Image Data**



Immunofluorescence analysis of A549 cells, using EDG6 Antibody. The picture on the right is blocked with the synthesized peptide.



Western Blot analysis of various cells using EDG-6 Polyclonal Antibody

**Product Name: EDG-6 Rabbit Polyclonal Antibody** 

Catalog #: APRab10302



### Note

For research use only.