Product Name: FIR Rabbit Polyclonal Antibody

Catalog #: APRab10989



Summary

Production Name FIR Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

HostRabbitApplicationWB,ELISAReactivityHuman,Mouse

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

ClonalityPolyclonalFormLiquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Storage

Gene Name FARP2

FARP2; KIAA0793; PLEKHC3; FERM; RhoGEF and pleckstrin domain-containing protein

Alternative Names 2; FERM domain including RhoGEF; FIR; Pleckstrin homology domain-containing family

C member 3; PH domain-containing family C member 3

Gene ID 9855.0

O94887.The antiserum was produced against synthesized peptide derived from human SwissProt ID

FIR. AA range:331-380

Application

Dilution Ratio WB 1:500 - 1:2000. ELISA: 1:20000

Molecular Weight 119kD

Product Name: FIR Rabbit Polyclonal Antibody

Catalog #: APRab10989




Background

function:Rho-guanine nucleotide exchange factor that activates RAC1. Plays a role in the response to class 3 semaphorins and remodeling of the actin cytoskeleton., similarity:Contains 1 DH (DBL-homology) domain., similarity:Contains 1 FERM domain., similarity:Contains 2 PH domains., subunit:Interacts with PLXNA1. Interaction with PLXNA1 or PIP5K1C lowers its guanine nucleotide exchange activity. Dissociates from PLXNA1 when SEMA3A binds to the receptor. Interacts with PIP5K1C via its FERM domain. The interaction with PIP5K1C is enhanced by SEMA3A binding., function:Rho-guanine nucleotide exchange factor that activates RAC1. Plays a role in the response to class 3 semaphorins and remodeling of the actin cytoskeleton., similarity:Contains 1 DH (DBL-homology) domain., similarity:Contains 1 FERM domain., similarity:Contains 2 PH domains., subunit:Interacts with PLXNA1. Interaction with PLXNA1 or PIP5K1C lowers its guanine nucleotide exchange activity. Dissociates from PLXNA1 when SEMA3A binds to the receptor. Interacts with PIP5K1C via its FERM domain. The interaction with PIP5K1C is enhanced by SEMA3A binding.,


Research Area

Adherens Junction;

Image Data



Western blot analysis of lysates from HUVEC cells, using FIR Antibody. The lane on the right is blocked with the synthesized



Product Name: FIR Rabbit Polyclonal Antibody

Catalog #: APRab10989



Western Blot analysis of various cells using FIR Polyclonal Antibody

Note

For research use only.

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838