

Summary

Production Name	GADD 45y Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,IF,IHC,
Reactivity	Human, Mouse, Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw
	cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	GADD45G
	GADD45G; CR6; DDIT2; Growth arrest and DNA damage-inducible protein GADD45
Alternative Names	gamma; Cytokine-responsive protein CR6; DNA damage-inducible transcript 2 protein;
	DDIT-2
Gene ID	10912.0
SwissProt ID	O95257.The antiserum was produced against synthesized peptide derived from human
	GA45G. AA range:101-150

Application

Dilution Ratio	WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000.
Molecular Weight	19kD




Background

This gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DNA-damaging agents. The protein encoded by this gene responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The GADD45G is highly expressed in placenta. [provided by RefSeq, Jul 2008],function:Involved in the regulation of growth and apoptosis. Mediates activation of stress-responsive MTK1/MEKK4 MAPKKK.,similarity:Belongs to the GADD45 family.,subunit:Interacts with GADD45GIP1.,


Research Area

MAPK_ERK_Growth;MAPK_G_Protein;Cell_Cycle_G1S;Cell_Cycle_G2M_DNA;p53;

Image Data




Western blot analysis of GA45G Antibody. The lane on the right is blocked with the GA45G peptide.




Immunofluorescence analysis of A549 cells, using GA45G Antibody. The picture on the right is blocked with the synthesized peptide.






Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using GA45G Antibody. The picture on



Western blot analysis of the lysates from HeLa cells using LEG4 antibody.



Western Blot analysis of various cells using GADD 45y Polyclonal Antibody

Note

For research use only.