Product Name: HSP 75 Rabbit Polyclonal Antibody
Catalog #: APRab12232

Summary

Production Name	HSP 75 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	IHC,ELISA
Reactivity	Human,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	TRAP1 HSP75
Alternative Names	Heat shock protein 75 kDa, mitochondrial (HSP 75;TNFR-associated protein 1;Tumor necrosis factor type 1 receptor-associated protein;TRAP-1)
Gene ID	10131.0
SwissProt ID	Q12931.The antiserum was produced against synthesized peptide derived from the Internal region of human TRAP1. AA range:481-530

Application

Dilution Ratio	IHC-p 1:50-200, ELISA 1:10000-20000.
Molecular Weight	

Product Name: HSP 75 Rabbit Polyclonal Antibody
Catalog #: APRab12232

Background

This gene encodes a mitochondrial chaperone protein that is member of the heat shock protein 90 (HSP90) family. The encoded protein has ATPase activity and interacts with tumor necrosis factor type I. This protein may function in regulating cellular stress responses. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jan 2013],function:Chaperone that expresses an ATPase activity.,similarity:Belongs to the heat shock protein 90 family.,subunit:Binds to the intracellular domain of tumor necrosis factor type 1 receptor. Binds to RB1.,tissue specificity:Found in skeletal muscle, liver, heart, brain, kidney, pancreas, lung and placenta.,

Research Area

Image Data



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200

Product Name: HSP 75 Rabbit Polyclonal Antibody
Catalog #: APRab12232



Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200

Note

For research use only.