

Summary

Production Name	IL-17D Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	IHC,ELISA
Reactivity	Human,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	IL17D IL27 UNQ3096/PRO21175
Alternative Names	Interleukin-17D (IL-17D;Interleukin-27;IL-27)
Gene ID	53342.0
SwissProt ID	Q8TAD2.Synthetic peptide from human protein at AA range: 141-190

Application

Dilution Ratio	IHC-p 1:50-200, ELISA 1:10000-20000.
Molecular Weight	

Background

The protein encoded by this gene is a cytokine that shares the sequence similarity with IL17. The treatment of endothelial


Product Name: IL-17D Rabbit Polyclonal Antibody
Catalog #: APRab12507




cells with this cytokine has been shown to stimulate the production of other cytokines including IL6, IL8 and CSF2/ GM-CSF. The increased expression of IL8 induced by this cytokine was found to be NF-kappa B-dependent. [provided by RefSeq, Jul 2008],function:Induces expression of IL-6, IL-8, and GM-CSF from endothelial cells.,online information:Interleukin-17 entry,similarity:Belongs to the IL-17 family.,tissue specificity:Expressed preferentially in adipose, skeletal muscle and CNS.,

Research Area


Image Data



Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100



Product Name: IL-17D Rabbit Polyclonal Antibody
Catalog #: APRab12507



Immunohistochemical analysis of paraffin-embedded Human-brain, antibody was diluted at 1:100

Note

For research use only.