Product Name: L-type Ca++ CP γ1 Rabbit Polyclonal

Antibody

Catalog #: APRab13479



Summary

Production Name L-type Ca++ CP γ1 Rabbit Polyclonal Antibody

Description Rabbit Polyclonal Antibody

Host Rabbit
Application WB,ELISA

Reactivity Human, Mouse, Rat

Performance

ConjugationUnconjugatedModificationUnmodified

Isotype IgG

Clonality Polyclonal Form Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw $\bf Storage$

cycles.

Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.

Purification Affinity purification

Immunogen

Gene Name CACNG1

CACNG1; CACNLG; Voltage-dependent calcium channel gamma-1 subunit; Alternative Names

Dihydropyridine-sensitive L-type; skeletal muscle calcium channel subunit gamma

Gene ID 786.0

Q06432.The antiserum was produced against synthesized peptide derived from human **SwissProt ID**

CACNG1. AA range:137-186

Application

Dilution Ratio WB 1:500 - 1:2000. ELISA: 1:5000.

Molecular Weight 25kD

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: L-type Ca++ CP γ1 Rabbit Polyclonal

Antibody

Catalog #: APRab13479




Background

calcium voltage-gated channel auxiliary subunit gamma 1(CACNG1) Homo sapiens Voltage-dependent calcium channels are composed of five subunits. The protein encoded by this gene represents one of these subunits, gamma, and is one of two known gamma subunit proteins. This particular gamma subunit is part of skeletal muscle 1,4-dihydropyridine-sensitive calcium channels and is an integral membrane protein that plays a role in excitation-contraction coupling. This gene is part of a functionally diverse eight-member protein subfamily of the PMP-22/EMP/MP20 family and is located in a cluster with two family members that function as transmembrane AMPA receptor regulatory proteins (TARPs). [provided by RefSeq, Dec 2010],function:This protein is a subunit of the dihydropyridine (DHP) sensitive calcium channel. Plays a role in excitation-contraction coupling. The skeletal muscle DHP-sensitive Ca(2+) channel may function only as a multiple subunit complex.,similarity:Belongs to the PMP-22/EMP/MP20 family. CACNG subfamily.,subunit:The L-type calcium channel is composed of five subunits: alpha-1, alpha-2/delta, beta and gamma.,tissue specificity:Skeletal muscle.,

Research Area

MAPK_ERK_Growth;MAPK_G_Protein;Cardiac muscle contraction;Hypertrophic cardiomyopathy (HCM);Arrhythmogenic right ventricular cardiomyopathy (ARVC);Dilated cardiomyopathy;

Image Data



Western blot analysis of CACNG1 Antibody. The lane on the right is blocked with the CACNG1 peptide.


Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: L-type Ca++ CP γ1 Rabbit Polyclonal

Antibody

Catalog #: APRab13479





Western blot analysis of the lysates from COLO205 cells using CACNG1 antibody.

Note

For research use only.