

Summary

Production Name	MADD Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,IHC,IF,ELISA
Reactivity	Human,Mouse,Rat

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	MADD MADD; DENN; IG20; KIAA0358; MAP kinase-activating death domain protein;
Alternative Names	Differentially expressed in normal and neoplastic cells; Insulinoma glucagonoma clone 20; Rab3 GDP/GTP exchange factor
Gene ID	8567.0
SwissProt ID	Q8WXG6.The antiserum was produced against synthesized peptide derived from human MADD. AA range:751-800

Application

Dilution Ratio	WB 1:500 - 1:2000. IHC 1:100 - 1:300. IF 1:200 - 1:1000. ELISA: 1:5000. Not yet tested in other applications.
-----------------------	---


Molecular Weight 183kD

Background

Tumor necrosis factor alpha (TNF-alpha) is a signaling molecule that interacts with one of two receptors on cells targeted for apoptosis. The apoptotic signal is transduced inside these cells by cytoplasmic adaptor proteins. The protein encoded by this gene is a death domain-containing adaptor protein that interacts with the death domain of TNF-alpha receptor 1 to activate mitogen-activated protein kinase (MAPK) and propagate the apoptotic signal. It is membrane-bound and expressed at a higher level in neoplastic cells than in normal cells. Several transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Jul 2008],caution:The sequence shown here is derived from an Ensembl automatic analysis pipeline and should be considered as preliminary data.,function:Plays a significant role in regulating cell proliferation, survival and death through alternative mRNA splicing. Isoform 5 shows increased cell proliferation and isoform 2 shows decreased. Converts GDP-bound inactive form of RAB3A, RAB3C and RAB3D to the GTP-bound active forms. Component of the TNFRSF1A signaling complex: MADD links TNFRSF1A with MAP kinase activation. Plays an important regulatory role in physiological cell death (TNF-alpha-induced, caspase-mediated apoptosis); isoform 1 is susceptible to inducing apoptosis, isoform 5 is resistant and isoform 3 and isoform 4 have no effect.,miscellaneous:Overexpression of MADD activates the mitogen-activated protein (MAP) kinase extracellular signal-regulated kinase (ERK). Expression of the MADD death domain stimulates both the ERK and c-JUN N-terminal kinase MAP kinases and induces the phosphorylation of cytosolic phospholipase A2.,similarity:Belongs to the MADD family.,similarity:Contains 1 dDENN domain.,similarity:Contains 1 death domain.,similarity:Contains 1 DENN domain.,similarity:Contains 1 uDENN domain.,subunit:Interacts with the death domain of TNFRSF1A through its own death domain.,tissue specificity:Highly expressed in fetal brain and kidney; adult testis, ovary, brain and heart. Isoform 5 is constitutively expressed in all tissues. Isoform 7 is expressed in fetal liver and in several cancer cell lines.,

Research Area


Image Data




Product Name: MADD Rabbit Polyclonal Antibody
Catalog #: APRab13558




Immunofluorescence analysis of A549 cells, using MADD Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using MADD Antibody. The picture on the right is blocked with the synthesized peptide.




Western blot analysis of lysates from COLO, HeLa, and Jurkat cells, using MADD Antibody. The lane on the right is blocked with the synthesized peptide.




Western blot analysis of the lysates from HepG2 cells using MADD antibody.

Product Name: MADD Rabbit Polyclonal Antibody
Catalog #: APRab13558



Western Blot analysis of various cells using MADD Polyclonal Antibody diluted at 1 : 1000



Western Blot analysis of Jurkat cells using MADD Polyclonal Antibody diluted at 1 : 1000

Note

For research use only.