

Product Name: NBPF1/9/10/12/14/15/16/20 Rabbit Polyclonal Antibody
Catalog #: APRab14424



Summary

Production Name	NBPF1/9/10/12/14/15/16/20 Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB,ELISA
Reactivity	Human,Rat,Mouse

Performance

Conjugation	Unconjugated
Modification	Unmodified
Isotype	IgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

Immunogen

Gene Name	NBPF12
Alternative Names	NBPF12; COAS1; KIAA1245; Neuroblastoma breakpoint family member 12; Chromosome 1 amplified sequence 1; NBPF10; Neuroblastoma breakpoint family member 10; NBPF16; Neuroblastoma breakpoint family member 16; NBPF1; KIAA1693; Neuroblastoma brea
Gene ID	55672/400818/284565/25832
SwissProt ID	Q5TAG4/Q6P3W6/Q5SXJ2/Q3BBV0/Q3BBW0/Q3BBV1/Q8N660/Q5TI25.The antiserum was produced against synthesized peptide derived from human NBPF1/9/10/12/14/15/16/20. AA range:121-150

Application

**Product Name: NBPF1/9/10/12/14/15/16/20 Rabbit
Polyclonal Antibody
Catalog #: APRab14424**




Dilution Ratio	WB 1:500 - 1:2000. ELISA: 1:40000..
Molecular Weight	36kD

Background

This gene is a member of the neuroblastoma breakpoint family (NBPF) which consists of dozens of recently duplicated genes primarily located in segmental duplications on human chromosome 1. This gene family has experienced its greatest expansion within the human lineage and has expanded, to a lesser extent, among primates in general. Members of this gene family are characterized by tandemly repeated copies of DUF1220 protein domains. Gene copy number variations in the human chromosomal region 1q21.1, where most DUF1220 domains are located, have been implicated in a number of developmental and neurogenetic diseases such as microcephaly, macrocephaly, autism, schizophrenia, mental retardation, congenital heart disease, neuroblastoma, and congenital kidney and urinary tract anomalies. Altered expression of some gene family members is associated with several types of cancer. This miscellaneous: Encoded by one of the numerous copies of NBPF genes clustered in the p36, p12 and q21 region of the chromosome 1., similarity: Belongs to the NBPF family., similarity: Contains 10 NBPF domains., similarity: Contains 2 NBPF domains., similarity: Contains 3 NBPF domains., similarity: Contains 6 NBPF domains., similarity: Contains 7 NBPF domains., similarity: Contains 8 NBPF domains., tissue specificity: Expressed in a neuroblastoma cell line., tissue specificity: Expressed in spinal cord., tissue specificity: Expressed in spleen and fetal liver., tissue specificity: Expressed in the mammary gland., tissue specificity: Ubiquitously expressed with a higher expression observed in breast and liver. Also expressed in neuroblastoma cell line., tissue specificity: Widely expressed. The only tissue which shows a weak expression is kidney.,


Research Area

Image Data




Western blot analysis of lysates from 293, HepG2, Jurkat, and COLO cells, using NBPF1/9/10/12/14/15/16/20 Antibody. The lane on the right is blocked with the synthesized peptide.

**Product Name: NBPF1/9/10/12/14/15/16/20 Rabbit
Polyclonal Antibody
Catalog #: APRab14424**



Western blot analysis of the lysates from HT-29 cells using NBPF1/9/10/12/14/15/16/20 antibody.



Western Blot analysis of various cells using NBPF1/9/10/12/14/15/16/20 Polyclonal Antibody

Note

For research use only.