

## Summary

Production Name	NUT Rabbit Polyclonal Antibody
Description	Rabbit Polyclonal Antibody
Host	Rabbit
Application	WB
Reactivity	Human,Rat,Mouse

### Performance

Conjugation	Unconjugated
Modification	Unmodified
lsotype	lgG
Clonality	Polyclonal
Form	Liquid
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Purification	Affinity purification

#### Immunogen

Gene Name	NUT C15orf55
Alternative Names	Protein NUT (Nuclear protein in testis)
Gene ID	256646.0
SwissProt ID	Q86Y26.Synthesized peptide derived from human NUT. at AA range: 1082-1131

## Application

Dilution Ratio	WB 1:500-2000, ELISA 1:10000-20000
Molecular Weight	63kD

### Background

disease: A chromosomal aberration involving NUT is found in a rare, aggressive, and lethal carcinoma arising in midline organs of young people. Translocation t(15;19)(q14;p13) with BRD4 which produces a BRD4-NUT fusion protein., disease: A

## Product Name: NUT Rabbit Polyclonal Antibody Catalog #: APRab14992



chromosomal aberration involving NUT is found in a rare, aggressive, and lethal carcinoma arising in midline organs of young people. Translocation t(15;9)(q14;q34) with BRD3 which produces a BRD3-NUT fusion protein.,PTM:Phosphorylation on Ser-1026, Ser-1029 or Ser-1031 is important for cytoplasmic export.,similarity:Belongs to the FAM22 family.,subcellular location:Shuttles between nucleus and cytoplasm.,tissue specificity:Specifically expressed in testis.,disease:A chromosomal aberration involving NUT is found in a rare, aggressive, and lethal carcinoma arising in midline organs of young people. Translocation t(15;19)(q14;p13) with BRD4 which produces a BRD4-NUT fusion protein.,disease:A chromosomal aberration involving NUT is found in a rare, aggressive, and lethal carcinoma arising in midline organs of young people. Translocation t(15;19)(q14;p13) with BRD4 which produces a BRD4-NUT fusion protein.,disease:A chromosomal aberration involving NUT is found in a rare, aggressive, and lethal carcinoma arising in midline organs of young people. Translocation t(15;9)(q14;q34) with BRD3 which produces a BRD3-NUT fusion protein.,PTM:Phosphorylation on Ser-1026, Ser-1029 or Ser-1031 is important for cytoplasmic export.,similarity:Belongs to the FAM22 family.,subcellular location:Shuttles between nucleus and cytoplasmic export.,similarity:Belongs to the FAM22 family.,subcellular location:Shuttles between nucleus and cytoplasm.,tissue specificity:Specifically expressed in testis.,

### **Research Area**

# Image Data



Western Blot analysis of 293T cells using primary antibody diluted at 1:1000 (4°C overnight) . Secondary antibody: Goat Anti-rabbit IgG IRDye 800 ( diluted at 1:5000, 25°C, 1 hour)

#### Note

For research use only.